


Portable Cord Connectors

PVC "Snap-In" Type Connectors



For connecting portable cord to box or enclosure. Locknut not required.

 File No. E11698

 File No. LR74878

PVC

Catalog Number	K.O. Size	Cord Diameter		Unit Qty.	Std. Pkg.
		Min.	Max.		
620-NM	1/2"	19/64	19/32	50	500
		Or (2) 19/64			
621-NM	3/4"	1/2	27/32	25	250

Two Screw, Strap Type Connectors




650-DC2



650-HD2

For connecting SJO cord to box or enclosure. Also listed for NM-B cable - see Nonmetallic Cable section. The 650-HD2 connector has a die cast strap for heavy duty use.

 File No. E11698

Zinc Die Cast

Catalog Number	K.O. Size	Cord Range		Unit Qty.	Std. Pkg.
		Min.	Max.		
650-DC2	1/2"	18/3	12/3	100	1000
650-HD2	1/2"	16/2	14/3	100	1000

PVC "Snap-In" Type Connectors




616-NMD





617-NMD

For connecting nonmetallic cable to box or enclosure. Locknut not required.

 File No. E11698


PVC


Catalog Number	K.O. Size	Nonmetallic Cable Range		Unit Qty.	Std. Pkg.
		Min.	Max.		
616-NMD 	1/2"	14/2	6/2	100	1000
		Or Two			
		14/2	12/3		
In Any Combination					
617-NMD 	3/4"	8/2, 8/3, 6/2, 6/3		50	500

PVC "Snap-In" Type Connectors





For connecting nonmetallic cable to box or enclosure. Locknut not required.

 File No. E11698

 File No. LR74878

PVC


Catalog Number	K.O. Size	Nonmetallic Cable Range		Unit Qty.	Std. Pkg.
		Min.	Max.		
620-NM 	1/2"	14/2	10/3	50	500
		Or Two			
		14/2	12/2		
Catalog Number	K.O. Size	Nonmetallic Cable Range		Unit Qty.	Std. Pkg.
		Min.	Max.		
621-NM 	3/4"	8/3	6/3	25	250
		Or Two			
		12/3	8/3		

Nonmetallic Cable Fittings

PVC "Snap-In" Type Connectors





For connecting nonmetallic cable to box or enclosure. Locknut not required.

 File No. E11698

 File No. LR74878

PVC


Catalog Number	K.O. Size	Nonmetallic Cable Range		Unit Qty.	Std. Pkg.
		Min.	Max.		
620-NM 	1/2"	(1) 14/2	(1) 10/3	50	500
		Or			
		(2) 14/2	(2) 12/2		

Catalog Number	K.O. Size	Nonmetallic Cable Range		Unit Qty.	Std. Pkg.
		Min.	Max.		
621-NM 	3/4"	(1) 8/3	(1) 6/3	25	250
		Or			
		(2) 12/3	(2) 8/3		

Two-Piece Clamp Type Connectors



For connecting single nonmetallic cable to box or enclosure. Locknut not required.

 File No. E11698: 642 thru 644

Steel

Catalog Number	K.O. Size	Nonmetallic Cable Range		Unit Qty.	Std. Pkg.
		Min.	Max.		
642	1/2"	.180"	.560"	100	1000
643	3/4"	.250"	.830"	50	500
644	1 1/4"	.250"	.980"	50	250
645	1 1/2"	.312"	1.125"	20	100