


**744 SERIES RECESSED FAN/LIGHT FEATURES**

- High efficiency centrifugal fan
- 70 CFM at 1.5 sones
- Trim matched to designs of major recessed light manufacturers
- Put multiple units in larger rooms
- Model 744 uses a standard A19 base (R30 or BR30 for standard applications)
- Models 744FL and 744SFL include a 16 watt, GU24 based, R30 shaped CFL bulb (included)
- Model 744LED includes a 14 watt, GU24 based LED bulb (included)
- All models UL Listed for use over bathtub or shower when connected to a GFCI protected branch circuit. Model 744 requires a PAR30L or PAR30LN type bulb (not included)
- 6<sup>7</sup>/<sub>8</sub>" high housing appropriate for new construction and 2" x 8" ceiling joists
- 4" round duct connector
- Optional wall control switches available
- Type IC, sealed housing
- Not for use over cooking surfaces


**Humidity Sensing Model 744SFL Features**

- SensAire® technology detects the rapid rise in humidity and automatically turns the fan on and off
- Humidity is sensed at the ceiling level
- Easily accessible sensitivity adjustment
- Easy-to-set 5-60 minute shut-off timer



**YOU'D NEVER KNOW  
IT'S A FAN, AND THAT'S THE POINT**

SensAire® technology behind the trim detects changes in humidity and automatically turns the fan on and off.



Model	CFM	Sones	Lighting	Humidity Sensing	Ducting	ENERGY STAR®
<b>744NT</b>	70	1.5	75W MAX	—	4"	—
<b>744FLNT</b>	70	1.5	16W Fluor.	—	4"	Yes
<b>744LEDNT</b>	70	1.5	14W LED	—	4"	Yes
<b>744SFLNT</b>	70	1.5	16W Fluor.	Yes	4"	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



## SELECTION GUIDE

		57W, 57V	59W	64W, 64V	66W, 66V	68W, 68V	69WL, 69VL	70TW	72W, 72V	77DW, 77DV	78W, 78V	269WL, 269VL	685WL	CFT12WH	82W, DH100W	VS63WH	VS66WH	VS67WH	VS68WH	VS69WH	
Ventilation Fans	682NT		•	•										•		•					
	695, 696N	•	•	•					•						•	•	•				
	LPN80	•		•			•		•						•						
	QT Fans*	•	•	•			•		•		•	•			•	•	•				
	QTXEN110S						•				•										
	RN80, RN110	•	•	•			•		•		•	•			•	•	•				
	XN110H					•	•														
	XN50, XN80, XN110			•			•						•		•						
	ZN110H						•														
	ZN80, ZN110					•							•	•							
	ZN80M, ZN110M					•	•														
Ventilation Fan/Lights	668RP	•	•	•		•			•						•	•	•	•		•	
	744NT, 744FLNT		•			•									•	•		•		•	
	744SFLNT		•			•										•		•		•	
	763		•	•		•						•			•	•		•		•	
	791LEDNT	•	•	•		•			•			•			•	•		•		•	
	8663RP	•		•	•				•			•			•	•			•	•	
	8664RP	•	•	•		•			•			•			•	•		•		•	
	QT Fan/Lights	•		•	•				•			•	•		•	•			•	•	
	QTNLEDA, QTNLEDB	•		•	•				•		•				•	•			•	•	
	QTXEN110SFLT, QTXN110SL		•							•											
	RN80L, RN110L	•		•	•				•			•	•		•	•			•		•
	XN110HL				•					•											
	XN50L, XN80L, XN110L				•							•	•		•						
	ZN110HL				•																
	ZN80L, ZN110L								•			•									
	ZN80ML, ZN110ML								•												

\*Does not include models QT200 and QT300

## Fans

	Page	CFM	Sones HVI-Certified	Baths up to ( ) Sq Ft	ENERGY STAR®	Duct Size"	Housing Dimensions			Grille Dimensions		Grille finish	Amps
							L"	W"	H"	L"	W"		
<b>682NT</b>	29	—	—	—	No	—	7 <sup>1</sup> / <sub>8</sub>	7 <sup>1</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>2</sub>	8 <sup>1</sup> / <sub>2</sub>	White Polymeric	1.0
<b>690NT</b>	29	60	3.0	55	No	3	See page 29 for compatible models			9 <sup>1</sup> / <sub>2</sub>	8 <sup>11</sup> / <sub>16</sub>	White Polymeric	1.2
<b>695</b>	27	70	6.0	65	No	3	7 <sup>1</sup> / <sub>2</sub>	7 <sup>1</sup> / <sub>4</sub>	3 <sup>5</sup> / <sub>8</sub>	9 <sup>1</sup> / <sub>8</sub>	8 <sup>3</sup> / <sub>4</sub>	White Polymeric	1.2
<b>696N</b>	27	50	4.0	45	No	3	7 <sup>1</sup> / <sub>2</sub>	7 <sup>1</sup> / <sub>4</sub>	3 <sup>5</sup> / <sub>8</sub>	9 <sup>1</sup> / <sub>8</sub>	8 <sup>3</sup> / <sub>4</sub>	White Polymeric	0.75
<b>AEN80</b>	22	80	0.8	75	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>4</sub>	12	White Polymeric	0.3
<b>AEN110</b>	22	110	1.3	105	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>4</sub>	12	White Polymeric	0.3
<b>AEN80B</b>	22	80	1.5	75	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>4</sub>	12	White Polymeric	0.3
<b>AEN50</b>	22	50	0.5	45	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>4</sub>	12	White Polymeric	0.2
<b>AN110</b>	22	110	3.0	105	No	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>4</sub>	12	White Polymeric	0.4
<b>LPN80</b>	25	80	1.0	75	Yes	3-4	8	8 <sup>3</sup> / <sub>4</sub>	5 <sup>3</sup> / <sub>4</sub>	13	14	White Polymeric	0.3
<b>QTXEN080</b>	16	80	0.3	75	Yes	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.4
<b>QTXEN110</b>	16	110	0.7	105	Yes	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.3
<b>QTXEN110S</b>	18	110	0.7	100	Yes	6	11 <sup>3</sup> / <sub>4</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	12 <sup>7</sup> / <sub>8</sub>	13 <sup>3</sup> / <sub>4</sub>	White Polymeric	0.3
<b>QTXEN150</b>	16	150	1.4	140	Yes	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.5
<b>RN80</b>	13	80	<0.3	—	Yes	4	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.3
<b>RN110</b>	13	110	0.6	—	Yes	4	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.3
<b>XN50</b>	11	50	<0.3	45	Yes	4-6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.1
<b>XN80</b>	11	80	<0.3	75	Yes	4-6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.1
<b>XN110</b>	11	110	<0.3	100	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.2
<b>XN110H</b>	11	110	<0.3	100	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	0.3
<b>ZN80</b>	11	80	<0.3	75	Yes	4-6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.1
<b>ZN80M</b>	11	80	<0.3	75	Yes	4-6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	0.1
<b>ZN110</b>	11	110	<0.3	100	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.2
<b>ZN110H</b>	11	110	<0.3	100	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	0.3
<b>ZN110M</b>	11	110	<0.3	100	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	0.3

## Fan/Lights

	Page	CFM	Sones HVI-Certified	Baths up to ( ) Sq Ft	Rooms up to ( ) Sq Ft	Lighting Watts Main/Night Light	ENERGY STAR®	Duct Size"	Housing Dimensions			Grille Dimensions		Grille finish	Amps
									L"	W"	H"	L"	W"		
<b>668RP</b>	26	70	4.0	65	85	100W	No	4	14 <sup>9</sup> / <sub>8</sub>	7 <sup>7</sup> / <sub>8</sub>	5 <sup>5</sup> / <sub>8</sub>	16 <sup>1</sup> / <sub>4</sub>	9 <sup>7</sup> / <sub>8</sub>	White Polymeric	2.0
<b>744FLNT</b>	32	70	1.5	65	85	16W floor.	Yes	4	8 <sup>3</sup> / <sub>4</sub>	12 <sup>3</sup> / <sub>4</sub>	6 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>8</sub> Dia		White Polymeric	1.2
<b>744LEDNT</b>	32	70	1.5	65	85	14W LED	Yes	4	8 <sup>3</sup> / <sub>4</sub>	12 <sup>3</sup> / <sub>4</sub>	6 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>8</sub> Dia		White Polymeric	0.55
<b>744NT</b>	32	70	1.5	65	85	75W	No	4	8 <sup>3</sup> / <sub>4</sub>	12 <sup>3</sup> / <sub>4</sub>	6 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>8</sub> Dia		White Polymeric	1.2
<b>744SFLNT</b>	32	70	1.5	65	85	16W floor.	Yes	4	8 <sup>3</sup> / <sub>4</sub>	12 <sup>3</sup> / <sub>4</sub>	6 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>8</sub> Dia		Matte White	0.7
<b>763</b>	27	50	2.5	45	60	100W	No	4	8	8 <sup>3</sup> / <sub>4</sub>	5 <sup>3</sup> / <sub>4</sub>	12	10 <sup>9</sup> / <sub>4</sub>	White Polymeric	1.6
<b>791LEDNTM</b>	33	110	1.5	95	125	9W LED	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	10 <sup>3</sup> / <sub>8</sub>	10 <sup>3</sup> / <sub>8</sub>	White	0.5
<b>8663RP</b>	26	100	3.5	95	125	100W/7W	No	4	9	9	6	15 Dia		White Polymeric	1.7
<b>8664RP</b>	26	100	3.5	95	125	100W	No	4	9	9	6	15 Dia		White Polymeric	1.7
<b>AN80L</b>	22	80	1.0	75	—	A19 Base	No	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>2</sub>	12 <sup>1</sup> / <sub>8</sub>	White Polymeric	1.2
<b>AN110L</b>	22	110	1.3	105	—	A19 Base	No	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>2</sub>	12 <sup>1</sup> / <sub>8</sub>	White Polymeric	1.2
<b>AN70L</b>	22	70	2.0	65	—	A19 Base	No	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>2</sub>	12 <sup>1</sup> / <sub>8</sub>	White Polymeric	1.2
<b>AEN80BL</b>	22	80	1.5	75	—	LED	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>3</sup> / <sub>4</sub>	12 <sup>1</sup> / <sub>2</sub>	White Polymeric	0.3
<b>AEN80L</b>	22	80	0.8	75	—	LED	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>3</sup> / <sub>4</sub>	12 <sup>1</sup> / <sub>2</sub>	White Polymeric	0.3
<b>AEN110L</b>	22	110	1.3	105	—	LED	Yes	4	9 <sup>1</sup> / <sub>4</sub>	10	5 <sup>3</sup> / <sub>4</sub>	11 <sup>3</sup> / <sub>4</sub>	12 <sup>1</sup> / <sub>2</sub>	White Polymeric	0.3
<b>QTNLEDA</b>	35	110	0.7	100	—	2- 18W GU24	Yes	6 or 4	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>3</sup> / <sub>4</sub> SQ	3 <sup>1</sup> / <sub>2</sub>	White Polymeric	1.0
<b>QTNLEDB</b>	35	110	0.7	100	—	2- 18W GU24	Yes	6 or 4	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>3</sup> / <sub>4</sub> SQ	3 <sup>1</sup> / <sub>2</sub>	White Polymeric	1.0
<b>QTXEN080FLT</b>	17	80	0.3	75	—	2- 18W GU24/4W	Yes	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	1.0
<b>QTXEN110FLT</b>	17	110	0.7	100	—	2- 18W GU24/4W	Yes	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	1.0
<b>QTXEN110SFLT</b>	18	110	0.7	100	—	2- 18W flour./4W	Yes	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	12 <sup>7</sup> / <sub>8</sub>	13 <sup>3</sup> / <sub>4</sub>	White Polymeric	1.0
<b>QTXEN150FLT</b>	17	150	1.4	140	—	2- 18W GU24/4W	Yes	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	1.2
<b>QTXN110SL</b>	18	110	0.9	100	—	100W/4W	No	6	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	12 <sup>7</sup> / <sub>8</sub>	13 <sup>3</sup> / <sub>4</sub>	White Polymeric	1.0
<b>RN80L</b>	13	80	<0.3	—	Yes	2- 18W GU24	Yes	4	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	1.0
<b>RN110L</b>	13	110	0.8	—	Yes	2- 18W GU24	Yes	4	11 <sup>3</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>2</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	1.0
<b>XN110HL</b>	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	1.0
<b>XN110L</b>	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.9
<b>XN50L</b>	11	50	<0.3	45	—	2- 18W GU24/4W	Yes	6 or 4	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.7
<b>XN80L</b>	11	80	<0.3	75	—	2- 18W GU24/4W	Yes	6 or 4	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.7
<b>ZN110HL</b>	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	1.0
<b>ZN110L</b>	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.9
<b>ZN110ML</b>	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	1.0
<b>ZN80L</b>	11	80	<0.3	75	—	2- 18W GU24/4W	Yes	6 or 4	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13	14	White Polymeric	0.8
<b>ZN80ML</b>	11	80	<0.3	75	—	2- 18W GU24/4W	Yes	6 or 4	10 <sup>1</sup> / <sub>2</sub>	11 <sup>3</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>8</sub>	14	White Polymeric	0.9