

Part Numbering System

Multi-Turn, Tee-Handle Stops

Example:



0	R	1	9	P	X	X	C	1
Stop Type	Outlet Size	Inlet	Options	Compliant	Finish	Packaging		
Iron Pipe Inlet	3/8" OD (1/4" Nom)	1/2" Nominal Copper, Angle	Compression PEX Inlet		Chrome	Individually Boxed		



Handle*

*Drop the '0' in Stop Type, when using modifier

S	Loose Key, Lock Shield	X	Cross
SS	Screw Driver Slot, Lock Shield	XX	Round



Stem*

*Drop the '0' in Stop Type, when using modifier

T	Stuffing Box
----------	--------------



Stop Type

OCR	Compression Inlet	OR	Iron Pipe Inlet	BRPX	Barbed PEX Inlet
OFCR	Flare Outlet, Compression Inlet	OFR	Flare Outlet, Iron Pipe Inlet	CS	Sweat Extension Inlet
FR	Flare Outlet, Sweat Inlet	R	Sweat Inlet	O33	Slip-Joint Outlet
PR	CPVC Inlet	RD	Sweat Outlet x Sweat Inlet		

For Integral Shut-Offs:

R	Iron Pipe or Sweat Inlet
DRS	Screwdriver Slot, Less Lock Shield, Iron Pipe or Sweat Inlet



Outlet Size (same as riser diameter)

0	1/4" OD	4	5/8" OD (1/2" Nom)
1	3/8" OD (1/4" Nom)	8	1/2" Iron Pipe
2	7/16" OD	9	3/8" Iron Pipe
3	1/2" OD (3/8" Nom)		



Inlet Size & Style

0	3/8" Female Iron Pipe, Straight	7	1/2" Female Iron Pipe, Angle
1	3/8" OD Compression (1/4" Nom)	9	1/2" Nominal Copper, Angle
2	1/2" Female Iron Pipe, Straight	A	3/8" Nominal Copper, Straight
4	1/2" Nominal Copper, Straight	B	3/8" Nominal Copper, Angle
5	3/8" Female Iron Pipe, Angle		

For Slip-Joint Outlets:

01	1/2" FIP Inlet, Angle
05	1/2" FIP Inlet, Straight
41	1/2" Nom Comp Inlet, Angle
45	1/2" Nom Comp Inlet, Straight

For Integral Shut-Offs:

83	1/2" FIP x 1/2" MIP, Straight
84	1/2" Nom Sweat x 1/2" MIP, Straight
44	1/2" Nom Sweat x 1/2" Nom Sweat, Straight

For Sweat Extension Inlets:

40	1/2" Nom Sweat x 3/8" OD Comp, Angle
41	1/2" Nom Sweat x 3/8" OD Comp, Straight
47	1/2" Nom Sweat x 1/2" OD Comp, Straight



Options

PX	Compression PEX Inlet
-----------	-----------------------

For Sweat Extension Inlets:

B	w/Escutcheon
----------	--------------

For Integral Shut-Offs:

AA	w/Check Inlet
M	w/Male Sweat Outlet



Compliant

X	100% Compliant
----------	----------------



Finish

C	Chrome Plated, Trayed
R	Rough/Unplated, Trayed

For Sweat Extension Inlets:

C	Chrome Plated, Boxed
R	Rough/Unplated, Boxed



Packaging

1	Individually Boxed (These stops are highlighted in bold print in this catalog).
----------	--

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

†FIP x Slip-Joint Stop – Angle w/Loose Key Stem

S3301X C	026613138879	1/2" FIP Inlet x 1/2" & 7/16" OD Tube Slip-Joint Outlet, w/Loose Key	Chrome	60	21
----------	--------------	--	--------	----	----



FIP x Slip-Joint Stop – Angle w/Stuffing Box

T3301X C	026613138893	1/2" FIP Inlet x 1/2" & 7/16" OD Tube Outlet w/Stuffing Box	Chrome	60	22
----------	--------------	---	--------	----	----



†Compression x Slip-Joint Stop – Angle w/Loose Key Stem

S3341X C	026613138886	1/2" Nom Comp Inlet x 1/2" & 7/16" OD Tube Slip-Joint Outlet w/Loose Key	Chrome	60	22
----------	--------------	--	--------	----	----



Compression x Slip-Joint Stop – Angle w/Stuffing Box

T3341X C	026613138909	1/2" Nom Comp Inlet x 1/2" & 7/16" Slip-Joint Outlet w/Stuffing Box	Chrome	60	22
----------	--------------	---	--------	----	----



†Compression x Compression Stops – Angle w/Loose Key Stem

SCR19X C	026613137438	1/2" Nom Comp x 3/8" OD Comp w/Loose Key	Chrome	60	18
STCR19X C	026613138947	1/2" Nom Comp x 3/8" OD Comp w/Loose Key & Stuffing Box	Chrome	60	22
SCR39X C	026613138855	1/2" Nom Comp Inlet x 1/2" OD Comp Outlet w/Loose Key	Chrome	60	20



†Compression x Compression Stop – Straight w/Loose Key Stem

SCR14X C	026613138862	1/2" Nom Comp x 3/8" OD Comp w/Loose Key	Chrome	60	21
----------	--------------	--	--------	----	----



†Sweat x Compression Stops – Angle w/5" Sweat Extension, w/Loose Key Stem

SCS40BX C	026613138978	1/2" Nom Sweat w/5" Extension Tube x 3/8" OD Tube, w/Loose Key	Chrome	30	14
SCS40X C	026613138916	1/2" Nom Sweat w/5" Extension Tube x 3/8" OD Comp w/Loose Key	Chrome	30	12



† 2 Keys provided for every sleeve of 5 stops.