

Speedi Plumb® PLUS Connector

BrassCraft® Speedi Plumb® PLUS connectors offer superior performance, with advanced construction and appeal.

The BrassCraft Speedi Plumb® PLUS connector is the world's most advanced flexible water connector. Designed for longer life under the harshest conditions, the BrassCraft Speedi Plumb® PLUS connector features tough polymer-coated fibers tightly braided around a strong PVC inner hose. The result is a corrosion resistant, highly flexible, extremely reliable water supply connector for use with faucets, toilets, dishwashers, washing machines, water heaters, icemakers and humidifiers.

Long Wing Nuts for Quick & Sure Connections.

Hand-tightened wing nuts offer quicker connections to faucets and toilets, while the long nut ensures dependable thread engagement.

Cone Washer for Universal Fit and Sure Seal.

The cone washer's large sealing surface ensures a secure connection and a universal fit.

BrassCraft Speedi Plumb® PLUS Connectors Resist Corrosion.

The braided polymer-coated fibers in BrassCraft Speedi Plumb® PLUS connectors are specially engineered to resist corrosion caused by chemicals found in common household tile and glass cleaners including:

- Ammonia
- Phosphoric Acid
- Sodium Hypochlorite
- Hydrogen Chloride
- Muriatic Acid
- Dimethyl Benzyl Ammonium Chloride



The BrassCraft Speedi Plumb® PLUS engineered polymer-braided jacket also resists corrosion from solder flux from installation and repair, and completely protects the inner tube, even in a harsh chemical environment.

The BrassCraft Manufacturing Commitment to Compliance. ✓

As an industry leader, we are continuously developing solutions for the ever-changing marketplace. In 2009, we were one of the first manufacturers to introduce no-lead* products compliant with California's low-lead legislation. As this legislation expands to a nationwide implementation in January 2014, we continue our commitment to provide a full range of high quality compliant products, including Speedi Plumb® connectors.

BrassCraft Speedi Plumb® PLUS connectors are IAPMO and CSA listed to ASME A112.18.6-2009/CSA B125.6-2009, the only national standard for flexible water connectors.



*BrassCraft Manufacturing is in compliance with the National Reduction of Lead in Drinking Water Act which became effective nationwide on January 4, 2014. This legislation changes the legal definition of "lead free" from 8% lead to a weighted average lead content of 0.25% with respect to wetted surfaces.

THE MOST CORROSION RESISTANT CONNECTOR

Allows for Speedier Connections.

The braided polymer-coated fibers bend freely, without kinking or crimping. Installation is easier, especially in cramped quarters.

Patented Engineered Polymer Braid and PVC Hose Resist Leaks.

The BrassCraft Speedi Plumb® PLUS connector's exclusive, patented construction features a high tenacity, multi-filament core yarn, protected by a special polymer coating. The result is optimum corrosion resistance and durability. Inside, our tough PVC tubing resists attack by chlorine and chloramine.



Stop End Provides More Secure Connections.

Deep threads in the compression nut assure secure engagement, while the Elastomer rubber seal eliminates metal-to-metal connections which have been known to damage water stops.

8-Sided Pneumatic Crimp for Greater Dependability.

Precise 8-sided crimp ensures reliable nut-to-hose connections.



BrassCraft Speedi Plumb® PLUS Connectors for Every Application.

Choose from our complete inventory of BrassCraft Speedi Plumb® PLUS connectors for faucet, toilet, dishwasher, washing machine, ice-maker and humidifier hook-ups, and supply kits for dishwashers and "Low Boy" toilets.

Water heater connectors are also available, featuring specially coated fibers for continuous exposure to high heat. Choose from a full line of end fitting configurations.



BrassCraft®

Speedi Plumb® PLUS is the World's Most Advanced Water Connector.

- Corrosion Resistant
- No Kinking or Crimping
- Superior Performance



Scan for
more
information



PART NO.	UPC	DESCRIPTION	LENGTH	QTY	LBS
Faucet - Compression					
B1-12A F	026613966168	3/8" Comp x 1/2" FIP	12"	25	4.4
B1-16A F	026613966151	3/8" Comp x 1/2" FIP	16"	25	5.0
B1-20A F	026613966199	3/8" Comp x 1/2" FIP	20"	25	5.7
B1-24A F	026613118635	3/8" Comp x 1/2" FIP	24"	25	7.2
B1-30A F	026613966922	3/8" Comp x 1/2" FIP	30"	25	8.0
B1-36A F	026613966946	3/8" Comp x 1/2" FIP	36"	25	9.1
B1-48A F	026613104232	3/8" Comp x 1/2" FIP	48"	25	11.0
B1-60A F	026613104492	3/8" Comp x 1/2" FIP	60"	10	5.7
B2-12A F	026613965987	7/16" Comp x 1/2" FIP	12"	25	4.5
B2-20A F	026613966007	7/16" Comp x 1/2" FIP	20"	25	5.7
B3-12A F	026613965901	1/2" Comp x 1/2" FIP	12"	25	5.0
B3-16A F	026613965840	1/2" Comp x 1/2" FIP	16"	25	5.6
B3-20A F	026613965918	1/2" Comp x 1/2" FIP	20"	25	6.2
B3-30A F	026613966939	1/2" Comp x 1/2" FIP	30"	25	8.7



Faucet - FIP					
B8-12A F	026613966052	1/2" FIP x 1/2" FIP	12"	25	5.0
B8-16A F	026613966069	1/2" FIP x 1/2" FIP	16"	25	5.6
B8-20A F	026613966076	1/2" FIP x 1/2" FIP	20"	25	6.2
B8-24A F	026613104317	1/2" FIP x 1/2" FIP	24"	25	7.8
B8-30A F	026613966977	1/2" FIP x 1/2" FIP	30"	25	8.8
B8-36A F	026613966984	1/2" FIP x 1/2" FIP	36"	25	9.7



Faucet - Flare					
BF1-12A F	026613966649	3/8" Flare x 1/2" FIP	12"	25	4.3
BF1-16A F	026613966663	3/8" Flare x 1/2" FIP	16"	25	4.9
BF1-20A F	026613966687	3/8" Flare x 1/2" FIP	20"	25	5.5
BF3-20A F	026613966724	1/2" Flare x 1/2" FIP	20"	25	6.2



Faucet - Compression x KC Nosepiece					
B1-12KC F	026613966229	3/8" Comp x 3/8" Comp	12"	25	4.2
B1-16KC F	026613105017	3/8" Comp x 3/8" OD Comp	16"	25	4.9
B1-20KC F	026613966243	3/8" Comp x 3/8" OD Comp	20"	25	5.5



Toilet - Compression					
B1-6DL F	026613966762	3/8" Comp x 7/8" Ballcock	6"	25	2.9
B1-9DL F	026613966748	3/8" Comp x 7/8" Ballcock	9"	25	3.6
B1-12DL F	026613966311	3/8" Comp x 7/8" Ballcock	12"	25	3.9
B1-16DL F	026613966342	3/8" Comp x 7/8" Ballcock	16"	25	4.5
B1-20DL F	026613966373	3/8" Comp x 7/8" Ballcock	20"	25	5.1
B2-12DL F	026613966786	7/16" Comp x 7/8" Ballcock	12"	25	3.9
B2-20DL F	026613966571	7/16" Comp x 7/8" Ballcock	20"	25	5.2
B3-9DL F	026613966809	1/2" Comp x 7/8" Ballcock	9"	25	4.0
B3-12DL F	026613966823	1/2" Comp x 7/8" Ballcock	12"	25	4.4
B3-20DL F	026613966847	1/2" Comp x 7/8" Ballcock	20"	25	5.7



FLEXIBLE POLYMER BRAIDED CONNECTORS