




Connectivity Points

In today's homes, service connection points are nearly as important as media distribution itself. Finish off service connection points with wallplates that give you the flexibility and style you need. Decorator inserts upgrade connection points to a designer look, come in a variety of configurations and are compatible with any decorator wallplate.

Connectivity Point Families



Decorator Inserts with
Connectors
D-12



Standard Size Wallplates
with Connectors
D-13



Mid-Size Wallplates
with Connectors
D-13

Connectivity Point Colors

Almond
(A)

Black
(BK)

Gray
(GY)

Ivory
(V)

Light Almond
(LA)

White
(W)

Decorator Inserts With Connectors

Mounting Strap Jacks & Adapters
Category 3 RJ11, RJ14
Coax Type F



2162



3560-4



3562

Features

- Flush mount telephone jacks for use in Category 3 RJ11 & RJ14 applications
- Type F Coaxial jack ideal for use with cable, satellite, TVs, DVDs, video applications and outdoor antennas
- 100% computer-tested to assure consistent high quality and reliable performance
- Fits in standard decorator wallplate openings

Decorator Mounting Strap Inserts With Connectors



Description	Color Suf	Catalog No.
Single Type F Coaxial Adapter, Decorator Insert	A, BK, LA, V, W	□ 2162__
Single 4-Conductor Telephone Jack, Decorator Insert Type 625 Screw Terminals	A, LA, V, W	□ 3560-4__
Combination Telephone Jack & Coaxial Adapter, Decorator Insert, One 4-Conductor Phone Jack, One Type F Coax Jack	A, LA, V, W	□ 3562__

cULus Listed to UL1863, file no. E142334; FCC part 68 requirements

Color Ordering Information:

For ordering devices, include Catalog No. followed by the Color Suffix: A (Almond), BK (Black), LA (Light Almond), V (Ivory), W (White)

A	BK	LA	V	W
(Almond)	(Black)	(Light Almond)	(Ivory)	(White)

Specification Information: Please visit www.cooperwiringdevices.com.
Specifications and availability are subject to change without notice.



Flush Mount Coaxial Jacks

Flush Mount Coaxial Jacks

FEATURES

- Coaxial jacks ideal for use with cable-ready TVs, VCRs, and outdoor antennas.
- Type F coaxial jack for use with video applications.
- All devices with wallplates are box mounting.
- Self-tapping mounting screws and assembly hardware included.

COMMERCIAL
RESIDENTIAL


H-7 COMMUNICATIONS PREMISE WIRING PRODUCTS




1172



2072



2162



2072-2

TESTING & CODE COMPLIANCE

- Meets UL requirements (file no. E134135).
- CSA Certified (file no. 090192-0-0000) except 2072 and 3562.

MATERIAL CHARACTERISTICS

Self-extinguishing high-impact thermoplastic meets UL 94, V0 flame retardancy rating.

Coaxial Jacks with Wallplate

Description	Color	Catalog No.
Type F	Almond	1172A
	Ivory	1172V
	Light Almond	1172LA
	White	1172W

Coaxial Jacks with Mid-Size Wallplate

Description	Color	Catalog No.
Type F	Almond	2072A
	Ivory	2072V
	Light Almond	2072LA
	White	2072W

Coaxial Jack - Decorator

Description	Color	Catalog No.
Type F	Almond	2162A
	Ivory	2162V
	Light Almond	2162LA
	White	2162W

Two Coaxial Jacks with Wallplate

Description	Color	Catalog No.
Type F	Almond	1172-2A
	Ivory	1172-2V
	Light Almond	1172-2LA
	White	1172-2W

Two Coaxial Jacks with Mid-Size Wallplate

Description	Color	Catalog No.
Type F	Almond	2072-2A
	Ivory	2072-2V
	Light Almond	2072-2LA
	White	2072-2W