

Connectivity Point Families



Connectivity Point Colors





Gray (GY)

lvory (V) Light Almond (LA)

White (W)

Decorator Inserts With Connectors

Mounting Strap Jacks & Adapters Category 3 RJ11, RJ14 Coax Type F



2162



3560-4



3562

Features

- Flush mount telephone jacks for use in Category 3 RJ11 & RJ14 applications
- Type F Coaxial jack ideal for use with cable, satellite, TVs, DVDs, video applications and outdoor antennas
- 100% computer-tested to assure consistent high quality and reliable performance
- Fits in standard decorator wallplate openings

Decorator Mounting Strap Inserts With Connectors (10) us				
Description	Color Suf	Catalog No.		
Single Type F Coaxial Adapter, Decorator Insert	A, BK, LA, V, W	□ 2162		
Single 4-Conductor Telephone Jack, Decorator Insert Type 625 Screw Terminals	A, LA, V, W	□ 3560-4		
Combination Telephone Jack & Coaxial Adapter, Decorator Insert, One 4-Conductor Phone Jack, One Type F Coax Jack	A, LA, V, W	□ 3562		

cULus Listed to UL1863, file no. E142334; FCC part 68 requirements

Color Ordering Information:

For ordering devices, include Catalog No. followed by the Color Suffix: A (Almond), BK (Black), LA (Light Almond), V (Ivory), W (White)



Specification Information: Please visit www.cooperwiringdevices.com. Specifications and availability are subject to change without notice.



Flush Mount Coaxial Jacks

Coaxial Jacks Combination Coaxial Telephone Decorator Jacks





1.25" (31.8mm)

←1.25"→ (31.8mm) **2162-2**

4.06

2.60"

(66.0mm)

(103.1mm)

3.81"

(83.3mm)

3.28"

(96.8mm)

COMMERCIAL RESIDENTIAL

H-8
COMMUNICATIONS
PREMISE WIRING
PRODUCTS

Flush Mount Coaxial Jacks

FEATURES

- Coaxial jacks ideal for use with cable-ready TVs, VCRs, and outdoor antennas.
- Type F coaxial jack for use with video applications.
- $\,\blacksquare\,$ All devices with wallplates are box mounting.
- Self-tapping mounting screws and assembly hardware included.

Two Coaxial Jacks - Decorator				
Description	Color	Catalog No.		
Type F	Almond	2162-2A		
	lvory	2162-2V		
	Light Almond	2162-2LA		
	White	2162-2W		

Telephone and Coaxial Jack - Decorator - 4 Conductor - RJ11, RJ14 Applications				
Description	Color	Catalog No.		
Type F	Almond	3562A		
	lvory	3562V		
	Light Almond	3562LA		
	White	3562W		

Telephone and Coaxial Jack with Wallplate - 4 Conductor - RJ11, RJ14 Applications				
Description	Color	Catalog No.		
Type F	Almond	3535-4A		
	lvory	3535-4V		
	Light Almond	3535-4LA		
	White	3535-4W		



3562



3535

TESTING & CODE COMPLIANCE

· Meets UL requirements (file no. E134135) · CSA Certified (file no. 090192-0-0000) except 2072 and 3562.

MATERIAL CHARACTERISTICS

Self-extinguishing high-impact thermoplastic meets UL 94, VO flame retardancy rating.

