

## TYPE HT



### Features

- Serrated interior
- Prefilled with oxide inhibitor
- Installed with industry standard "O" and "D" dies
- Manufactured from high strength aluminum alloy
- Suitable for use in circuits rated 35KV or less, proper high voltage spacing and insulation techniques must be used
- Rated to 90° C

### Benefits

- Assures positive mating with cable strands when compressed
- Provides corrosion resistance
- Provides convenient die selection
- Provides maximum conductivity and excellent crimping characteristics
- Application versatility

**A**



Catalog Number	Wire Range										Program Number	Connector Die	No. of Crimps		Dimensions		
	Standard Wire					Compact Wire							Mech. Tool	Hyd. Tool	L	W	H
	A Groove ACSR	str	sol	B Groove ACSR	str	sol	A Groove ACSR	str	B Groove ACSR	str							
HT-6	2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1, 2, 3, 4, 6, -	2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1	O	4	2	1-1/2	23/32	1-23/32
HT-8	1/0, 1, 2, 3, -	2/0, 1/0, 1, 2, -	3/0, 2/0, 1/0, 1, -	2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1/0, 1, 2, 3, 4, 6, -	2/0, 1/0, 1, 2, -	2/0, 1/0, 1, 2, -	1, 2, 3, 4, 6, -	1, 2, 3, 4, 6, -	2	O	5	2	1-1/2	45/64	1-25/32
HT-2	2/0, 1/0, -	3/0, 2/0, -	-	2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1/0, 1, 2, 3, 4, 6, -	3/0, 2/0, -	3/0, 2/0, -	1, 2, 4, 6, -	1, 2, 4, 6, -	3	D3	5	2	1-7/8	13/16	2-3/16
HT-4	2/0, 1/0, 1, -	3/0, 2/0, 1/0, -	-	2/0, 1/0, 1, -	3/0, 2/0, 1/0, -	-	3/0, 2/0, 1/0, -	3/0, 2/0, 1/0, -	3/0, 2/0, 1/0, -	3/0, 2/0, 1/0, -	4	D3	6	2	1-7/8	57/64	2-17/64
HT-3	4/0, 3/0, -	4/0, -	-	2, 3, 4, 6, -	1, 2, 3, 4, 6, -	1/0, 1, 2, 3, 4, 6, -	266, 4/0, -	266, 250, 4/0, -	1, 2, 4, 6, -	1, 2, 4, 6, -	5	D3	5	2	1-7/8	53/64	2-1/4
HT-5	4/0, 3/0, -	4/0, 3/0, -	-	2/0, 1/0, -	2/0, 1/0, -	-	266, 4/0, 3/0, -	266, 250, 4/0, -	2/0, 1/0, -	3/0, 2/0, 1/0, -	6	D3	7	3	2-1/4	53/64	2-3/8
HT-7	4/0, 3/0, -	4/0, 3/0, -	-	4/0, 3/0, -	4/0, 3/0, -	-	266, 4/0, 3/0, -	266, 250, 4/0, -	266, 4/0, 3/0, -	266, 250, 4/0, -	7	D3	7	3	2-1/2	7/8	2-1/2

All wire sizes, unless noted otherwise, are American Wire Gauge  
Consult factory for tool and die information.