

Wallplate Specifications

Key Design Features

- The front of the two-part wallplate snaps securely on to the adapter plate to conceal the screws.
- Seamless multigang wallplates with snap-in auto-alignment adapter plate
- To ensure a precise color match between all plastic parts, color variation of any control will not exceed a delta E of 1, CIE L*a*b* color units (ASTM E 308-99).
- Visible parts of control and wallplate are manufactured from durable polycarbonate plastic with either a matte finish or metal finish.
- Visible parts of control and wallplate exhibit ultraviolet stability when tested with multiple actinic light sources (ASTM D4674-89).

Colors/Finishes

Add color suffix to model #
Example: VTW-1-WH


Color	Suffix	Color	Suffix
Matte Finish		Metal Finish	
White	WH	Satin Brass	SB
Ivory	IV	Bright Brass	BB
Almond	AL	Bright Chrome	BC
Light Almond	LA	Special Metal Finish	
Gray	GR	Antique Brass	QB
Brown	BR	Antique Bronze	QZ
Black	BL	Satin Chrome	SC
Taupe	TP	Satin Nickel	SN
Sienna	SI	Bright Nickel	BN
		Anodized Aluminum Finish	
		Clear Anodized	CLA
		Black Anodized	BLA
		Brass Anodized	BRA

Note: Architectural metal finishes are mounted on black plastic and include a black adapter plate.

When ordering metal finish wallplates for a product color other than black contact Customer Service at 1.888.LUTRON1.

Job Name:	Model Numbers:
Job Number:	

Architectural Accessories & Wallplates



Description

- A full line of accessories and wallplates
- Wallplates feature clean appearance with no visible screws
- Wallplates designed for quick and easy multigang alignment
- 1 to 6-gang wallplates are available
- Engraving is available, contact Lutron Customer Service
- Select matte finishes to coordinate with the following products:
 - Vierti®
 - Nova®
 - Nova T★®
 - Vareo®
 - Accessories (Rectptacles & Telephone Jacks)


Job Name:

Model Numbers:

Job Number:

Wallplates

Vierti®




Elegant screwless wallplate


Two-part wallplate; the front securely snaps on to adapter plate

Controls must have fins broken in multigang installations. Derate dimmers and switches as required.


H: 4.56 in (116 mm); D: 0.30 in (7.6 mm)




VTW-1- ■ **1-Gang Wallplate**
W: 2.94 in (75 mm)



VTW-3- ■ **3-Gang Wallplate**
W: 6.32 in (161 mm)



VTW-2- ■ **2-Gang Wallplate**
W: 4.56 in (116 mm)



VTW-4- ■ **4-Gang Wallplate**
W: 8.45 in (215 mm)

5 and 6-Gang Wallplates also available


■ - Wallplate Color/Finish

Job Name:	Model Numbers:
Job Number:	


Dimensions

Including Architectural Style wallplates - Wallplates included

Front



Profile



Colors/Finishes

Add LED color suffix, then add wallbox color suffix to model number

Example: **VT-600M-B-WH**

LEDs

Color	Suffix
Blue	B
White	W
Green	G

All *Vierti* Dimmers and Switches feature an Amber Soft-Glow Locator Light.

Wallplate

Color	Suffix
Matte Finish	
White	WH
Ivory	IV
Almond	AL
Light Almond	LA
Gray	GR
Brown	BR
Black	BL
Beige	BE
Taupe	TP
Sienna	SI

Color	Suffix
Metal Finish	
Satin Brass	SB
Bright Brass	BB
Bright Chrome	BC
Antique Brass	QB
Antique Bronze	QZ
Satin Chrome	SC
Satin Nickel	SN
Bright Nickel	BN

Anodized Aluminum Finish

Clear Anodized	CLA
Black Anodized	BLA
Brass Anodized	BRA

Note: Architectural metal finishes are mounted on black plastic and include a black adapter plate.

When ordering metal finish wallplates for a product color other than black contact Customer Service at 1.888.LUTRON1.

Job Name:	Model Numbers:
Job Number:	