





Shown actual size: Skylark dimmer and 1-gang Claro wallplate in White (WH).

### Product family features


- Rocker switch returns light to light level indicated by slider on preset dimmers
- Slide up to brighten, down to dim
- C•L® and eco-dim® models available
- Coordinating Claro® and Stainless Steel wallplates only available separately
- Custom engraving available for wallplates, see p. 237

### Control types


 Single-pole (one location)


 3-way or 4-way (two or more locations)


### Direct load type compatibility


 Incandescent/halogen lighting

 Dimmable CFL/LED lighting (screw-base)


 Magnetic low-voltage lighting

 Electronic low-voltage lighting


 Fluorescent lighting

 LED lighting

 Ceiling fans

 Ceiling fan/lights

### Load type requiring load interface

 Neon/cold cathode lighting

Lighting load interfaces may be applicable for some additional load type, voltage, and capacity combinations. For additional information, see pp. 255–259.

**Available finishes**

Use **BOLD** color code in model number (Example: S-600P-**GR**)

Gloss finishes\*



**WH**  
White



**LA**  
Light Almond



**AL**  
Almond



**IV**  
Ivory



**GR**  
Gray



**BR**  
Brown



**BL**  
Black

Metal finish wallplates\*\*\*



**SS**  
Stainless Steel

\* Coordinating wallplates only available separately. For wallplate information, see p. 236.

\*\* Stainless Steel wallplate only available separately and includes black plastic trim/adaptor, visible from side. Match with separate Black (BL) control. For wallplate information, see p. 236

### Dimmers with on/off switch and locator light



- Rocker switch returns light to light level indicated by slider
- Slide up to brighten, down to dim
- Includes amber locator light

### Dual slide-to-off dimmer (two loads)



**Dimmers** (left/right)

- Slide up to on/brighten, down to dim/off

#### Incandescent/halogen dimmers

##### Dimmers with on/off switch and locator light

Single-pole 120V 600W	S-600PNL- <b>XX</b> <sup>1</sup>
Single-pole 120V 1000W	S-10PNL- <b>XX</b> <sup>1</sup>
3-way 120V 600W	S-603PNL- <b>XX</b> <sup>1</sup>
3-way 120V 1000W	S-103PNL- <b>XX</b> <sup>1</sup>

#### Incandescent/halogen dimmer

##### Dual slide-to-off dimmer (two loads)

Single-pole 120V 300W dimmer (left) Incandescent/halogen 300W dimmer (right) Incandescent/halogen	S2-L- <b>XX</b> <sup>1</sup>
---	------------------------------

**XX**<sup>1</sup>: Gloss color codes, see p. 103

Wallplates not included. Order separately, see p. 236

All models must be derated if ganged unless otherwise noted, see pp. 250–252.