



Shown actual size: Skylark Contour C-L dimmer and 1-gang Claro wallplate in White

Product family features

- Rocker switch returns light to light level indicated by slider
- Slide up to brighten, down to dim
- C•L® and eco-dim® models available
- Coordinating Claro® wallplates only available separately
- Custom engraving available for wallplates; see p. 237

Control types

- 🔌 Single-pole (one location)
- 🔌🔌🔌 3-way or 4-way (two or more locations)

Direct load type compatibility

- 💡 Incandescent/halogen lighting
- 💡💡 Dimmable CFL/LED lighting (screw-base)
- 💡 Magnetic low-voltage lighting
- 🔌 Electronic low-voltage lighting
- ✂️ Ceiling fans

Lighting load interfaces are not compatible with this family.

Available finishes

Use **BOLD** color code in model number (Example: CT-600P-**IV**)

Gloss finishes*



WH
White



LA
Light Almond



AL
Almond



IV
Ivory



GR
Gray



BR
Brown



BL
Black

Metal finish wallplates**



SS
Stainless Steel

* Coordinating wallplates only available separately. For wallplate information, see p.236.

** Stainless Steel wallplate only available separately and includes black plastic trim/adaptor, visible from side. Match with separate Black (BL) control. For wallplate information, see p.236

Dimmers with on/off switch



- Rocker switch returns light to light level indicated by slider
- C•L® dimmer provides reliable dimming of dimmable CFLs/LEDs, as well as halogens and incandescents
- eco-dim® model guarantees at least 15% energy savings and triples lamp life compared to a standard switch*

Incandescent/halogen dimmer

/ Dimmable CFL/LED (screw-base) dimmer

C•L dimmer with on/off switch

3-way/single-pole	CTCL-153P- XX ¹
120V 600W (Inc) 150W (CFL/LED)	

Visit www.lutron.com/dimcflled for an approved list of dimmable CFL/LED bulbs, and how to calculate wattage when mixing lamp types. Adjustable low-end trim.

Incandescent/halogen dimmers

Dimmer with on/off switch

Single-pole	CT-600P- XX ¹
120V 600W	
3-way	CT-603P- XX ¹
120V 600W	

eco-dim dimmer with on/off switch

Multi-location/single-pole	CT-603PG- XX ²
120V 600W	

Incandescent/halogen dimmer Magnetic low-voltage dimmer

Dimmer with on/off switch

3-way/single-pole	CT-103P- XX ¹
120V 1000W (Inc) 600VA/450W (MLV)	

The stated VA (Volt-Ampere) rating includes the magnetic transformer heat losses and the lamp load.

The stated W (Watt) rating is the maximum lamp wattage based on assumed 20% transformer loss.

Electronic low-voltage dimmer

Dimmer with on/off switch**

3-way/single-pole	CTELV-303P- XX ¹
120V 300W	

XX¹: Gloss color codes, see p. 97

XX²: Gloss White (WH), Light Almond (LA), Almond (AL) and Ivory (IV)

Wallplates not included. Order separately, see p. 236

All models must be derated if ganged unless otherwise noted, see pp. 250–252 and 254.

* Maximum light output of 85% guarantees 15% energy savings over standard switches

** **Requires neutral wire connection**