










Shown actual size: Maestro dimmer and 1-gang Claro wallplate in White (WH).


Product family features

- True multi-location dimming from every location
- Tap on to preset level; tap off; tap twice for full on; touch rocker to adjust light level
- LEDs indicate light level and glow softly in the dark
- Delayed off provides light as you exit the room
- Line frequency compensation maintains stable light levels despite power line frequency and voltage variations
- Programming allows customized functions
- **C•L, eco-dim, and eco-timer models available**
- Coordinating Claro, Satin Colors, and Stainless Steel wallplates only available separately
- Custom engraving available for wallplates; see p. 223

Direct load type compatibility




-  Dimmable LED/CFL lighting (screw-base)
-  Incandescent/halogen lighting
-  Magnetic low-voltage lighting
-  Electronic low-voltage lighting
-  LED lighting
-  Fluorescent lighting
-  Switched lighting/motor

Load type requiring load interface

-  Neon/cold cathode lighting

Lighting load interfaces may be required for some load type, voltage, and capacity combinations. For additional information, see pp. 259–263.

Control types

-  Single-pole (one location)
-  3-way (2 locations)
-  Multi-location (up to 10 locations)

Available finishes

Use **BOLD** color code in model number (Example: MA-600-**BR**)

Gloss*



WH
White



LA
Light Almond



AL
Almond



IV
Ivory



GR
Gray



BR
Brown



BL
Black

Satin Colors*



SW
Snow



LS
Limestone



BI
Biscuit



ES
Eggshell



PD
Palladium



TP
Taupe



ST
Stone



BG
Bluestone



PL
Plum



TQ
Turquoise



GS
Goldstone



DS
Desert Stone



GB
Greenbriar



MS
Mocha Stone

Metal wallplate**



TC
Terracotta



SI
Sienna



HT
Hot



MR
Merlot



MN
Midnight



SS
Stainless Steel

* Coordinating wallplates only available separately. For wallplate information, see pp. 222–223.

** Stainless Steel metal wallplate only available separately and includes black plastic trim/adaptor, visible from side. Match with separate Black (BL) or Midnight (MN) controls. For wallplate information, see pp. 222–223.

Companion dimmers



- For true multi-location dimming from every location; use up to nine companion dimmers with only one Maestro multi-location dimmer
- Use standard 3-way wiring

Companion switches



- For use with multi-location switches; use up to nine companion switches with only one Maestro multi-location switch
- Can be used with multi-location countdown timer switch
- Use standard 3-way wiring

Companion controls

Companion dimmers

Companion dimmer	MA-R- XX ¹
120V	MSC-AD- XX ²
Companion dimmer	MA-R-277- XX ¹
277V	MSC-AD-277- XX ²

Companion controls

Companion switches

Companion switch	MA-AS- XX ¹
120V	MSC-AS- XX ²
Companion switch	MA-AS-277- XX ¹
277V	MSC-AS-277- XX ²

XX¹: Gloss color codes, see p. 17

XX²: Satin Colors codes, see p. 17

Wallplates not included. Order separately, see pp. 222–223

Two wireless electronic switches* with Radio Powr Savr occupancy/vacancy sensor and two-gang wallplate**

Multi-location/single-pole MRF2-2S8A-10W
120V 6A light,
3A fan (1/10HP)
ceiling-mount sensor

Switch rated for: incandescent/halogen, magnetic low-voltage, electronic low-voltage, LEDs, CFLs, fluorescents, general purpose fans, and motor loads.

Companion dimmers



- For use with multi-location dimmers only; use up to nine companion dimmers with only one Maestro Wireless multi-location dimmer
- Provides true dimming from every location

Companion controls

Companion dimmers

Companion dimmer 120V	MA-R- XX ¹ MSC-AD- XX ²
Companion dimmer 277V	MA-R-277- XX ¹ MSC-AD-277- XX ²

XX¹: Gloss color codes, see p. 33

XX²: Satin Colors codes, see p. 33

Wallplates not included. Order separately, see pp. 222–223

All models must be derated if ganged unless otherwise noted, see pp. 254–257.

* Minimum load required, visit www.lutron.com/faq for more information

** Packages available in White only