




4515 East 139th Street
 Grandview, MO 64030
 (800) 362-9055
 Fax (800) 362-1463
 www.PRIER.com

Application

C-108/208 Hot & Cold Wall Hydrant

Vertical or Horizontal Installation (Same Product)



- Residential
- Freezeless
- Anti-Siphon
- Backflow Check Valve
- Hot & Cold Mixing



PRIER C-108 provides a year round source of tempered water to areas of structures that are subject to freezing temperatures. The hydrant valve is connected to the supply piping in the heated portion of the structure, eliminating the possibility of freezing. Hot side is loose key operated to prevent unauthorized operation or accidental operation by children. Unique to its patented design, the same product is available as horizontal or vertical. Ordering the C-208 gives you the same style hydrant but with vandalproof extended lockshields with operating key on both Hot & Cold stems.

The PRIER C-108 has all the characteristics of the historically proven C-134 with the added protection of a self-draining Anti-Siphon Vacuum Breaker and Backflow Check Valve. It is available from stock in lengths

Features

- Horizontal or Vertical installation with same product
- Anti-Siphon Vacuum Breaker with Backflow Check Valve
- Internal checks to prevent thermal migration
- 3 1/2" Center-to-Centers-installation template provided
- Enclosed Screwholes easily secure mounting screws
- Solid Brass Body, Valve Stem Cap, Seat and Stem Ends
- Satin Nickel Plated Body maintains attractive finish
- Stainless Steel Seat Washer Screw & Handle Screw
- Durable ACME Threads secure Stem at Seat End
- Lock Shield Cap for stronger valve design
- AFG Teflon with Graphite Packing for easy maintenance
- Standard "OO" Size Seat Washer
- Machine Spout Aligning Mark

Inlet Styles

D Style 1/2" MPT x 1/2" SWT	
F Style 3/4" MPT x 3/4" SWT	
S Style 3/4" Push-On x 1/2" SWT	
T Style 3/4" MPT x 1/2" FPT	
W Style 1/2" Wirsbo PEX	
X Style 1/2" Crimp PEX	
FX Style 3/4" Crimp PEX	


Ordering

C-108D10		Length
Operator	Inlet	CC- Close Coupled
1- Handle Operated	D- 1/2" MPT x 1/2" SWT	04- 4" Insertion
2- Vandalproof Lockshield	F- 3/4" MPT x 3/4" SWT	06- 6" Insertion
	S- 1/2" SWT x 3/4" PUSH-ON	08- 8" Insertion
	T- 3/4" MIP x 1/2" FIP	10- 10" Insertion
	W- 1/2" Wirsbo PEX	12- 12" Insertion
	X- 1/2" Crimp PEX	14- 14" Insertion
	FX- 3/4" Crimp PEX	16- 16" Insertion
		18- 18" Insertion
		20- 20" Insertion
		22- 22" Insertion
		24- 24" Insertion
		XX- Special Size



4515 East 139th Street
 Grandview, MO 64030
 (800) 362-9055
 Fax (800) 362-1463
 www.PRIER.com

Parts for C-108/208 Hot & Cold Wall Hydrants



ID	Part No.	Description	ID	Part No.	Description
1, 4	Stem Assembly	See Chart Below	7	P-003CP	Replacement Vacuum Breaker
2	300-1008	Valve Stem Cap	8	300-0030	Hose Thread Nut
3	C-134KT-805	Oval Style Handle & Screw Kit	9	336-0005	O-Ring for Hose Thread Ad.
4	C-134KT-802	Stem Washer & Screw Kit	10	300-0029	Hose Thread Adapter
5	C-134KT-803	Stem Packing Replacement Kit	11	C-108KT-805	Red Handle & Screw Kit
6	C-108KT-808	Operating Key on Lanyard	12	336-0002	Backflow Check Valve for C-108

Replacement Stems for C-108/208 Hydrants



PRIER Universal Stems are replacement stems for any size from Close Coupled to 14". They require cutting the rod to proper length and soldering the brass stem end to the rod as directed in instructions.

Part No.	Style	Description	Stem Length
231-12CC	G	Close Coupled Stem for C-144 Hydrant	4 ³ / ₈ " OAL
231-1204	G	Stem for 4" C-144 Hydrant	6 ⁷ / ₈ " OAL
231-1206	G	Stem for 6" C-144 Hydrant	8 ⁷ / ₈ " OAL
231-1208	G	Stem for 8" C-144 Hydrant	10 ⁷ / ₈ " OAL
231-1210	G	Stem for 10" C-144 Hydrant	12 ⁷ / ₈ " OAL
231-1212	G	Stem for 12" C-144 Hydrant	14 ⁷ / ₈ " OAL
231-1214	G	Stem for 14" C-144 Hydrant	16 ⁷ / ₈ " OAL
231-1216	G	Stem for 16" C-144 Hydrant	18 ⁷ / ₈ " OAL
231-1218	G	Stem for 18" C-144 Hydrant	20 ⁷ / ₈ " OAL
231-1220	G	Stem for 20" C-144 Hydrant	22 ⁷ / ₈ " OAL
231-1222	G	Stem for 22" C-144 Hydrant	24 ⁷ / ₈ " OAL
231-1224	G	Stem for 24" C-144 Hydrant	26 ⁷ / ₈ " OAL
231-12US	G	*Universal Replacement Stem for C-144 Hydrant	Up to 16 ⁷ / ₈ " OAL

For old style C-108
 Series Hydrant Stems
 see C-108 Series
 Retired Style Spec Sheet
 @ www.PRIER.com