





# PRESSING

## Selection Chart Press Tools

Compact RP 200-B page 10.4	Jaws	Pressing Rings	Power	Copper/SS Capacity	PEX Capacity	Weight (lb.)	Rotating Barrel	Characteristics
	Compact Series Jaws: • ProPress® (copper & stainless) • Pureflow™ (PEX) • ASTM F 1807 (PEX)	Compact Series Press Rings (see chart below)	18V Li-Ion battery	½ - 1¼"	¾" - 1½"	6.2 with battery	270°	The RP 200-B compact press tool gives contractors another option for a fast and reliable way to join copper, stainless steel and PEX. The inline form of the tool allows access to tighter spaces, enabling press connections in difficult to reach areas.
<b>Compact RP 210-B page 10.5</b>								
	Compact Series Jaws: • ProPress® (copper & stainless) • Pureflow™ (PEX) • ASTM F 1807 (PEX)	Compact Series Press Rings (see chart below)	18V Li-Ion battery	½ - 1¼"	¾" - 1½"	5.9 with battery	270°	The RP 210-B Compact Press Tool from RIDGID is a fast and reliable way to join copper, stainless steel, PEX, and Multilayer fittings. It is 2 inches (5 cm) shorter and 25% lighter than our previous compact tool for more pressing with less fatigue. Now you can do more, with less!
<b>RP 340 page 10.6</b>								<b>Characteristics</b>
	Standard Series Jaws: • ProPress (copper & stainless) • Pureflow (PEX)	Standard Series Press Rings: (see chart below)	18V Li-Ion battery	½ - 4"	½ - 2"	8.5 with battery	180°	30% smaller tool increases maneuverability, 17% lighter tool reduces operator fatigue, 31% longer service interval (up to 42,000 cycles) maximizes uptime. More than 400 presses per charge (with Advanced Lithium 4 Battery). Ultimate flexibility with the ability to switch between battery and AC power on the same tool.
<b>PEX Crimp Tools page 10.12</b>								<b>Characteristics</b>
	• ASTM F 1807 (PEX)	–	–	–	¾" - 1"	2.7-3.4	–	Constructed of lightweight, durable polycarbonate E <sup>3</sup> ® handles, RIDGID PEX Crimp Tools are ideal for making copper crimp ring and stainless steel clamp connections in potable water and radiant heating applications.

### Press Jaws & Rings

Compact Series Press Jaws for use with 100B, RP 200-B or RP 210-B							
Compact Series Jaws	¾"	½"	5/8"	¾"	1"	1¼"	1½"
ProPress (copper & stainless)	–	16958	–	16963	16978	31228	–
Pureflow (PEX)	17003	17008	19813	17013	17018	22683	22688
ASTM F 1807 (PEX)	–	22958	–	22968	22973	22978	–

Standard Series Press Jaws for use with CT400, 320-E, RP 330-B, RP 330-C & RP 340								
Standard Series Jaws	¾"	½"	5/8"	¾"	1"	1¼"	1½"	2"
ProPress (copper & stainless)	–	76652	–	76657	76662	76667	76672	76677
Pureflow (PEX)	–	22653	22658	22663	22668	22673	22678	35343

Large Diameter Press Rings for use with CT400, 320-E, RP 330-B, RP 330-C & RP 340					
Pressing Rings	Standard Series Actuator Jaw	2½"	3"	4"	2½"-4" Ring Kit with Case
ProPress XL-C (copper and stainless steel fittings)	V2 Actuator 21878	20543	20548	20553	20483

Small Diameter Press Rings for use with CT400, 320-E, RP 330-B, RP 330-C & RP 340							
Actuator Jaw	½"	¾"	1"	1¼"	1½"	2"	For Use With
V1 28033	27998	28003	28008	28013	–	–	RP 340 RP 330-B RP 330-C 320E CT400
V2 21878	–	–	–	–	28018	28023	RP 340 RP 330-B RP 330-C 320E CT400
C1 26163	27998	28003	28008	28013	–	–	100B RP 200-B RP 210-B

ProPress® is a registered trademark of Viega.  
PureFlow™ is a trademark of Viega.

# Compact Series Press Jaws



## Compact Series ASTM F 1807 Jaws (For PEX Tubing)

For use with RIDGID® Compact Press Tools (RP 100-B, RP 200-B, RP 210-B).

- Increased speed and reliability with PEX tubing connections.
- Wide range of capacity available in (4) sizes: 1/2", 3/4", 1", and 1 1/4".
- Eliminates user fatigue. Perfect for larger sizes of PEX tubing where manual tools can require a great deal of force.
- Increased versatility of RIDGID Compact RP 100-B, RP 200-B and RP 210-B Pressing Tools. Same RP 100-B, RP 200-B and RP 210-B tool used to join copper tubing (with different pressing jaws).
- Pressing jaws never require calibration unlike manual crimp tools.
- Compatible with all ASTM F 1807 black copper crimp ring PEX tubing systems.

### Specifications

- For use with – ASTM F 1807 black copper crimp rings and insert fittings

Catalog No.	Description	Weight		Std. Pack
		lb.	kg	
22958	1/2" ASTM F 1807 Jaws	2 1/2	1.2	1
22968	3/4" ASTM F 1807 Jaws	2 1/2	1.2	1
22973	1" ASTM F 1807 Jaws	2 1/2	1.2	1
22978	1 1/4" ASTM F 1807 Jaws	2 1/2	1.2	1

# Standard Series Press Jaws



## Standard Series Jaws for ProPress® System

For use with Standard Series Press Tools (CT400, 320-E, RP 330-B, RP 330-C, RP 340).

- Designed in conjunction with the ProPress System fittings, ensuring total system compatibility.
- Compatible only with RIDGID Standard Series pressing tools.
- Backed by full RIDGID Lifetime Warranty.

### Specifications

- Capacity – ProPress (copper) 1/2" - 2"

Catalog No.	Description	Weight		Std. Pack
		lb.	kg	
76652	1/2" Jaw for ProPress	4	1.9	1
76657	3/4" Jaw for ProPress	4 1/4	1.9	1
76662	1" Jaw for ProPress	4 1/2	2.0	1
76667	1 1/4" Jaw for ProPress	4 3/4	2.2	1
76672	1 1/2" Jaw for ProPress	6 1/2	2.9	1
76677	2" Jaw for ProPress	10	4.6	1