






















## Cables and Leaders

	Catalog No.	Model No.	Description	Weight		
				lb.	kg	
5/8" (16 mm)		37628	C-25 HD	25' HD Cable (7.6m)	24	10.90
		37633	C-26 HD	50' HD Cable (15.2m)	43	19.50
		37638	C-27 HD	75' HD Cable (30.5m)	63	28.60
		37643	C-24 HD	100 HD Cable (30.5m)	84	38.10
		44122		5/8" (16 mm) Pigtail, 4 1/2' (1.4 m) Long	2 1/2	1.13
		58192	C-24HC	5/8" (16 mm) x 100' HC Cable (30.5m)	70 1/2	32.10
		43647	C-24	5/8" (16 mm) x 100' IC Cable (30.5m)	84	38.10
		92460	C-25	5/8" (16 mm) x 25' IC Cable (7.6m)	24	10.90
		92465	C-26	5/8" (16 mm) x 50' IC Cable (15.2m)	43	19.50
		92470	C-27	5/8" (16 mm) x 75' IC Cable (22.9m)	63	28.60
		92555	T-458	5/8" (16 mm) x 2' (50 mm) Leader	2	0.85
		95737	K-6200	Machine w/5/8" Pigtail & Standard Accessories	98	44.54
		32737	C-27HC	5/8" (16 mm) x 75' HC Cable (23)	52 3/4	23.90

## Tools and Replacement Blades – Fit 5/8" (16 mm) and 3/4" (20 mm) Cables

	Catalog No.	Model No.	Description	Replac. Blade(s)	Replac. Holder
	51762	T-409	H-D Bulb Auger, 1 3/4" (45 mm)	-	-
	92485	T-403	P-Trap Cutter, 3" (75 mm)	92835	92900
	92490	T-404	P-Trap Cutter, 3 1/2" (87 mm)	92840	92900
	92495	T-406	Spade Cutter, 1 3/4" (45 mm)	92850	92915
	92500	T-407	Retrieving Auger 2 9/16" (65 mm)	-	-
	92505	T-408	Sawtooth Cutter, 3" (75 mm)	92890	92915
	92510	T-411	Double Cutter, 2" (50 mm)	92815	92905
	92515	T-412	Double Cutter, 2 1/2" (65 mm)	92820	92905
	92520	T-413	Double Cutter, 3" (75 mm)	92825	92910
	92525	T-414	Double Cutter, 4" (110 mm)	92830	92910
	92530	T-416	Double Cutter, 6" (150 mm)	92855	92910
	92535	T-432	3-Blade Cutter 2" (50 mm)	92860	92895
	92540	T-433	3-Blade Cutter 3" (75 mm)	92865	92895
	92545	T-434	3-Blade Cutter 4" (110 mm)	92870	92895
	92550	T-436	3-Blade Cutter 6" (150 mm)	92875	92895
	92485	T-403	P-Trap Cutter, 3" (75 mm)	92835	92900

## Accessories

Catalog No.	Description
49032	Front Guide Hose Assembly
59360	Tool Box
70032	RIDGID PVC Drain Cleaning Gloves
91047	5/8" IW Cable Repair Coupling
95792	Swivel Loading Wheel Assembly
95797	Lifting Hook - K-6200
95802	K-6200 Drum Assy. w/5/8" Pigtail
95807	K-3800 Drum Assy. w/6200 Adapters
95812	AUTOFEED – K-6200
95822	K-3800 to K-6200 Adapter Kit Only

# DRAIN CLEANING

## Inner Core (IC) Cables

	Image	Catalog No.	Model No.	Description	Weight	
					lb.	kg
5/8" 16 mm		92460	C-25	5/8" (16 mm) x 25' IC Cable (7.6 m)	24	10.9
		92465	C-26	5/8" (16 mm) x 50' IC Cable (15.2 m)	43	19.5
		92470	C-27	5/8" (16 mm) x 75' IC Cable (22.9 m)	63	28.6
		43647	C-24	5/8" (16 mm) x 100' IC Cable (30.5m)	84	38.1
3/4" 20 mm		92475	C-28	3/4" (20 mm) x 25' IC Cable (7.6 m)	30	13.9
		92480	C-29	3/4" (20 mm) x 50' IC Cable (15.2 m)	60	27.2
		41212	C-75	3/4" (20 mm) x 75' IC Cable (22.9 m)	93	42.5
		41697	C-100	3/4" (20 mm) x 100' IC Cable (30.5m)	122	55.3

## Hollow Core Cables

	Image	Catalog No.	Model No.	Description	Weight	
					lb.	kg
5/8" 16 mm		32737	C-27HC	5/8" (16 mm) x 75' HC Cable (23)	52 <sup>3</sup> / <sub>4</sub>	23.9
		58192	C-24HC	5/8" (16 mm) x 100' HC Cable (30.5 m)	70 <sup>1</sup> / <sub>2</sub>	32.1
3/4" 20 mm		47427	C-75HC	3/4" (20 mm) x 75' HC Cable (23 m)	75	34.0
		47432	C-100HC	3/4" (20 mm) x 100' HC Cable (30.5 m)	100	45.5

## Leaders and Pig Tails

	Image	Catalog No.	Model No.	Description	Weight lb.
		92555	T-458	5/8" (16 mm) x 2' (50 mm) Leader	2
		92560	T-468	3/4" (20 mm) x 2' (50 mm) Leader	2 <sup>3</sup> / <sub>4</sub>
		44122	-	5/8" (16 mm) Pigtail, 4 <sup>1</sup> / <sub>2</sub> ' (1.4 m) Long	2 <sup>1</sup> / <sub>2</sub>
		44117	-	3/4" (20 mm) Pigtail, 6' (1.8 m) Long	3 <sup>1</sup> / <sub>2</sub>

## Accessories

	Image	Catalog No.	Model No.	Description	Weight	
					lb.	kg
		41982	A-7534	Drum Assembly w/3/4" (20 mm) Pigtail	37 <sup>1</sup> / <sub>2</sub>	17.0
		43637	A-7558	Drum Assembly w/5/8" (16 mm) Pigtail	33	15.0
		43642	A-75	AUTOFEED Assembly	8	3.5
		41937	-	RIDGID Leather Drain Cleaning Gloves	1/2	0.2
		41992	A-75PF	C-100IC Kit w/Tools, 3/4" (20 mm) x 100' (30.5 m)	8	3.5
		49032	-	Front Guide Hose Assembly	3	1.3
		59360	A-3	Tool Box	5	2.3
		70032	-	RIDGID PVC Drain Cleaning Gloves	1/2	0.2


## Repair Fittings

	Image	Catalog No.	Model No.	Description	Weight	
					oz.	g
		31487	A-7570	5/8" (16 mm) Repair Splicer	1 <sup>1</sup> / <sub>2</sub>	43
		31492	A-7571	3/4" (20 mm) Repair Splicer	2	57
		92805	A-6582	5/8" (16 mm) Male Coupling	1	28
		92810	A-6583	5/8" (16 mm) Female Coupling	2	57
		92880	B-6840	3/4" (20 mm) Male Coupling	1	28
		92885	B-6841	3/4" (20 mm) Female Coupling	2	57

## Tools and Replacement Blades – Fit 5/8" (16 mm) and 3/4" (20 mm) Cables

	Image	Catalog No.	Model No.	Description	Replac. Blade(s)	Replac. Holder
		92485	T-403	P-Trap Cutter, 3" (75 mm)	92835	92900
		92490	T-404	P-Trap Cutter, 3 <sup>1</sup> / <sub>2</sub> " (87 mm)	92840	92900
		92495	T-406	Spade Cutter, 1 <sup>3</sup> / <sub>4</sub> " (45 mm)	92850	92915
		92500	T-407	Retrieving Auger 2 <sup>3</sup> / <sub>8</sub> " (65 mm)	-	-
		92505	T-408	Sawtooth Cutter, 3" (75 mm)	92890	92915
		51762	T-409	H-D Bulb Auger, 1 <sup>3</sup> / <sub>4</sub> " (45 mm)	-	-
		92510	T-411	Double Cutter, 2" (50 mm)	92815	92905
		92515	T-412	Double Cutter, 2 <sup>1</sup> / <sub>2</sub> " (65 mm)	92820	92905
		92520	T-413	Double Cutter, 3" (75 mm)	92825	92910
		92525	T-414	Double Cutter, 4" (110 mm)	92830	92910
		92530	T-416	Double Cutter, 6" (150 mm)	92855	92910
		92540	T-433	3-Blade Cutter 3" (75 mm)	92865	92895
		92545	T-434	3-Blade Cutter 4" (110 mm)	92870	92895
	92550	T-436	3-Blade Cutter 6" (150 mm)	92875	92895	

## Cable Control & Performance – When Tool Engages Tough Obstructions



### Accessories

	Catalog No.	Model No.	Description	Weight	
				lb.	kg
	41937		RIDGID Leather Drain Cleaning Gloves	1/2	0.20
	41992	A-75PF	C-100IC Kit w/Tools, 3/4" (20 mm) x 100' (30.5 m)	8	3.50
	49032		Front Guide Hose Assembly	3	1.30
	59360	A-3	Tool Box	5	2.30
	60032	A-75PF	AUTOFEED Assembly	10	4.50
	60037	A-75PF	AUTOFEED Spacers	10	4.50
	60042	A-7534D	Drum Assembly w/3/4" (20 mm) Pigtail	31	14.00
	60047	A-75DR	Drum Only	20	9.00
	61107	A-7558D	Drum Assembly w/5/8" (16 mm) Pigtail	30	13.60
	70032	-	RIDGID PVC Drain Cleaning Gloves	1/2	0.20

### Accessories

	Catalog No.	Model No.	Description	Weight	
				oz.	g
	31487	A-7570	5/8" (16 mm) Repair Splicer	1 1/2	43.00
	31492	A-7571	3/4" (20 mm) Repair Splicer	2	57.00
	92805	A-6582	5/8" (16 mm) Male Coupling	1	28.00
	92810	A-6583	5/8" (16 mm) Female Coupling	2	57.00
	92880	B-6840	3/4" (20 mm) Male Coupling	1	28.00
	92885	B-6841	3/4" (20 mm) Female Coupling	2	57.00

### Inner Core (IC) Cables

	Catalog No.	Model No.	Description	Weight	
				lb.	kg
5/8" (16 mm)	92460	C-25	5/8" (16 mm) x 25' IC Cable (7.6 m)	24	10.90
	92465	C-26	5/8" (16 mm) x 50' IC Cable (15.2 m)	43	19.50
	92470	C-27	5/8" (16 mm) x 75' IC Cable (22.9 m)	63	28.60
	43647	C-24	5/8" (16 mm) x 100' IC Cable (30.5 m)	84	38.10
3/4" (20 mm)	92475	C-28	3/4" (20 mm) x 25' IC Cable (7.6 m)	30	13.90
	92480	C-29	3/4" (20 mm) x 50' IC Cable (15.2 m)	60	27.20
	41212	C-75	3/4" (20 mm) x 75' IC Cable (22.9 m)	93	42.50
	41697	C-100	3/4" (20 mm) x 100' IC Cable (30.5 m)	122	55.30

### Hollow Core Cables

	Catalog No.	Model No.	Description	Weight	
				lb.	kg
5/8" (16 mm)	32737	C-27HC	5/8" (16 mm) x 75' HC Cable (23)	52 3/4	23.90
	58192	C-24HC	5/8" (16 mm) x 100' HC Cable (30.5m)	70 1/2	32.10
3/4" (20 mm)	47427	C-75HC	3/4" (20 mm) x 75' HC Cable (23 m)	75	34.00
	47432	C-100HC	3/4" (20 mm) x 100' HC Cable (30.5 m)	100	45.50

### Leaders and Pig Tails





	Catalog No.	Model No.	Description	Weight	
				lb.	kg
	44117		3/4" (20 mm) Pigtail, 6' (1.8 m) Long	3 1/2	1.59
	44122		5/8" (16 mm) Pigtail, 4 1/2' (1.4 m) Long	2 1/2	1.13
	92555	T-458	5/8" (16 mm) x 2' (50 mm) Leader	2	0.85
	92560	T-468	3/4" (20 mm) x 2' (50 mm) Leader	2 3/4	1.25

### Tools and Replacement Blades – Fit 5/8" (16 mm) and 3/4" (20 mm) Cables








	Catalog No.	Model No.	Description	Replac. Blade(s)
	51762	T-409	H-D Bulb Auger, 1 3/4" (45 mm)	-
	92485	T-403	P-Trap Cutter, 3" (75 mm)	92835
	92490	T-404	P-Trap Cutter, 3 1/2" (87 mm)	92840
	92495	T-406	Spade Cutter, 1 3/4" (45 mm)	92850
	92500	T-407	Retrieving Auger 2 9/16" (65 mm)	-
	92505	T-408	Sawtooth Cutter, 3" (75 mm)	92890
	92510	T-411	Double Cutter, 2" (50 mm)	92815
	92515	T-412	Double Cutter, 2 1/2" (65 mm)	92820
	92520	T-413	Double Cutter, 3" (75 mm)	92825
	92525	T-414	Double Cutter, 4" (110 mm)	92830
	92530	T-416	Double Cutter, 6" (150 mm)	92855
	92535	T-432	3-Blade Cutter 2" (50 mm)	92860
	92540	T-433	3-Blade Cutter 3" (75 mm)	92865
	92545	T-434	3-Blade Cutter 4" (110 mm)	92870
	92550	T-436	3-Blade Cutter 6" (150 mm)	92875

# DRAIN CLEANING



## Hollow Core Cables

		Catalog No.	Model No.	Description	Weight	
					lb.	kg
5/8" 16 mm		32737	C-27HC	5/8" (16 mm) x 75' HC Cable (23)	52 <sup>3</sup> / <sub>4</sub>	23.9
		58192	C-24HC	5/8" (16 mm) x 100' HC Cable (30.5m)	70 <sup>1</sup> / <sub>2</sub>	32.1
3/4" 16 mm		47427	C-75HC	3/4" (20 mm) x 75' HC Cable (23m)	75	34.0
		47432	C-100HC	3/4" (20 mm) x 100' HC Cable (30.5m)	100	45.5

## Tools and Replacement Blades – Fit 5/8" (16 mm) and 3/4" (20 mm) Cables

	Catalog No.	Model No.	Description	Replac. Blade(s)
	51762	T-409	H-D Bulb Auger, 1 <sup>3</sup> / <sub>4</sub> " (45 mm)	
	92485	T-403	P-Trap Cutter, 3" (75 mm)	92835
	92490	T-404	P-Trap Cutter, 3 <sup>1</sup> / <sub>2</sub> " (87 mm)	92840
	92495	T-406	Spade Cutter, 1 <sup>3</sup> / <sub>4</sub> " (45 mm)	92850
	92500	T-407	Retrieving Auger 2 <sup>5</sup> / <sub>16</sub> " (65 mm)	
	92505	T-408	Sawtooth Cutter, 3" (75 mm)	92890
	92510	T-411	Double Cutter, 2" (50 mm)	92815
	92515	T-412	Double Cutter, 2 <sup>1</sup> / <sub>2</sub> " (65 mm)	92820
	92520	T-413	Double Cutter, 3" (75 mm)	92825
	92525	T-414	Double Cutter, 4" (110 mm)	92830
	92530	T-416	Double Cutter, 6" (150 mm)	92855
	92540	T-433	3-Blade Cutter 3" (75 mm)	92870
	92545	T-434	3-Blade Cutter 4" (110 mm)	
	92550	T-436	3-Blade Cutter 6" (150 mm)	

## Leaders and Pig Tails

	Catalog No.	Model No.	Description	Weight	
				lb.	kg
	44117		3/4" (20 mm) Pigtail, 6' (1.8 m) Long	3 <sup>1</sup> / <sub>2</sub>	1.59
	44122		5/8" (16 mm) Pigtail, 4 <sup>1</sup> / <sub>2</sub> ' (1.4 m) Long	2 <sup>1</sup> / <sub>2</sub>	1.13
	92555	T-458	5/8" (16 mm) x 2' (50 mm) Leader	2	0.85
	92560	T-468	3/4" (20 mm) x 2' (50 mm) Leader	2 <sup>3</sup> / <sub>4</sub>	1.25

## Accessories

Catalog No.	Model No.	Description	Weight	
			lb.	kg
41982	A-7534	Drum Assembly w/3/4" (20 mm) Pigtail	37 <sup>1</sup> / <sub>2</sub>	17.0
43637	A-7558	Drum Assembly w/5/8" (16 mm) Pigtail	33	15.0
43642	A-75	AUTOFEED Assembly	8	3.5
41937		RIDGID Leather Drain Cleaning Gloves	1/2	0.2
41992	A-75PF	C-100IC Kit w/Tools, 3/4" (20 mm) x 100' (30,5 m)	8	3.5
49032		Front Guide Hose Assembly	3	1.3
59360	A-3	Tool Box	5	2.3
70032		RIDGID PVC Drain Cleaning Gloves	1/2	0.2

## Repair Fittings

Catalog No.	Model No.	Description	Weight	
			oz.	g
31487	A-7570	5/8" (16 mm) Repair Splicer	1 <sup>1</sup> / <sub>2</sub>	43
31492	A-7571	3/4" (20 mm) Repair Splicer	2	57
92805	A-6582	5/8" (16 mm) Male Coupling	1	28
92810	A-6583	5/8" (16 mm) Female Coupling	2	57
92880	B-6840	3/4" (20 mm) Male Coupling	1	28
92885	B-6841	3/4" (20 mm) Female Coupling	2	57