

### **RIDGID® Wrenches**

- Time-tested designs.
  Often imitated, never duplicated.
  Efficient designs to improve productivity.
  Innovative to provide new solutions to old problems.

Wrench Type	No. of Models	Nom. Size (in.)	Capacity (in.)	Page
Heavy-Duty				
Straight Pipe Wrenches				
Straight Pipe	10	6 - 60	3⁄4 - 8	1.2
Aluminum Straight	7	10 - 48	11⁄2 - 6	1.2
RapidGrip <sup>®</sup> Wrenches				
Heavy-Duty RapidGrip	2	10 - 14	11⁄2 - 2	1.2
Aluminum RapidGrip	2	10 - 14	2 - 3	1.3
End Pipe Wrenches				
End Pipe	8	6-36	<sup>3</sup> ⁄4 - 5	1.3
Aluminum End Pipe	4	10-24	11⁄2 - 3	1.3
Raprench®	1	10	11⁄2	1.3
Offset Wrenches				
Heavy-Duty Offset	3	14 - 24	2 - 3	1.4
Aluminum Offset	3	14 - 24	2 - 3	1.4
Hex Wrenches	3	91⁄2 - 20	5⁄8 - 2 5⁄8	1.4
Spud	1	12	<sup>3</sup> ⁄8 - 25⁄8	1.5
Chain	5	_	2 - 41/2	1.5
Compound Leverage	4	_	2 - 8	1.5
Chain Tongs	6	_	1⁄4 - 18	1.6
Strap	8	_	2 - 5	1.6
Adjustable	8	6 - 24	<sup>3</sup> ⁄4 - 2 <sup>7</sup> ⁄16	1.6
Specific				
Purpose Wrenches				
Basin	3	10 - 17	3⁄8 <b>- 2</b> 1⁄2	1.7
Faucet & Sink Installer	1	101⁄4	_	1.7
Internal	1	41⁄2	1 - 2	1.8
One Stop	1	_	_	1.8
Wrench Parts	_	_	_	1.9



# **Spud Wrenches**



### **Spud Wrenches**

- 12" Spud Wrench features narrow jaws to fit into tight places.
- Smooth, toothless jaws ideal for square or rectangular stock.

Catalog No.	Description	Nom. Size		Pipe Capacity		Weight		Std.
	Description	in.	mm	in.	mm	lb.	kg	Pack
31400	Spud Wrench	12	300	<sup>3</sup> /8 - 2 <sup>5</sup> /8	10 - 67	21/2	1.1	6

## **Chain Wrenches**

### **Chain Wrenches**

- A double jaw gives fast, ratchet- like action in either direction.
- The heavy-duty model has replaceable alloy steel jaws.
- The light-duty model has a one- piece forged alloy steel handle and jaw. Ideal for use in close quarters.

Catalog Model	Description	Rated Pipe Capacity		Actual O.D. Capacity		Chain Length		Weight		Std. Pack	
INU.	NO. NO.		in.	mm	in.	mm	in.	mm	lb.	kg	FOLK
31310	C-12	Light-Duty Chain Wrench	2	50	4	100	15 <sup>3</sup> /4	390	1 <sup>3</sup> /4	0.8	1
31315	C-14	Heavy-Duty Chain Wrench	2	50	5	125	18 <sup>1</sup> /2	460	23/4	1.2	1
31320	C-18	Heavy-Duty Chain Wrench	2 <sup>1</sup> /2	60	5	125	20 <sup>1</sup> /4	500	6	2.7	1
31325	C-24	Heavy-Duty Chain Wrench	3	75	5	125	20 <sup>1</sup> /4	500	81/4	3.7	1
31330	C-36	Heavy-Duty Chain Wrench	4 <sup>1</sup> /2	110	7 <sup>1</sup> /2	185	29	725	15 <sup>3</sup> /4	7.1	1

Rated pipe capacity = nominal diameter that can be correctly tightened Actual O.D. capacity = actual O.D. that chain can accommodate

# **Compound Leverage Wrenches**



#### **Compound Leverage Wrenches**

The compound leverage wrench offers a unique design that multiplies the turning force applied to a pipe. Ideal for freeing locked couplings and joints frozen by age or damage. Replaceable jaws are hardened alloy steel.

Catalog Model Description			pe acity	Weight		Std. Pack	
NU.	140.		in.	mm	lb.	kg	Fack
31375	S-2	Compound Leverage Wrench	2	50	71/4	3.3	1
31380	S-4A	Compound Leverage Wrench	5	125	33 <sup>1</sup> /2	15.2	1
31385	S-6A	Compound Leverage Wrench	6	150	45 <sup>1</sup> /2	20.6	1
31390	S-8A	Compound Leverage Wrench	8	200	68 <sup>1</sup> /2	31.1	1

Nom. Size = nominal length of handle Nom. Pipe Capacity = maximum nominal diameter of steel pipe



1.5