



## RIDGID® Wrenches

- Time-tested designs.
- Often imitated, never duplicated.
- Efficient designs to improve productivity.
- Innovative to provide new solutions to old problems.

Wrench Type	No. of Models	Nom. Size (in.)	Capacity (in.)	Page
<b>Heavy-Duty Straight Pipe Wrenches</b>				
Straight Pipe	10	6 - 60	¾ - 8	1.2
Aluminum Straight	7	10 - 48	1½ - 6	1.2
<b>RapidGrip® Wrenches</b>				
Heavy-Duty RapidGrip	2	10 - 14	1½ - 2	1.2
Aluminum RapidGrip	2	10 - 14	2 - 3	1.3
<b>End Pipe Wrenches</b>				
End Pipe	8	6-36	¾ - 5	1.3
Aluminum End Pipe	4	10-24	1½ - 3	1.3
<b>Raprench®</b>	1	10	1½	1.3
<b>Offset Wrenches</b>				
Heavy-Duty Offset	3	14 - 24	2 - 3	1.4
Aluminum Offset	3	14 - 24	2 - 3	1.4
<b>Hex Wrenches</b>				
<b>Spud</b>	1	12	¾ - 2¾	1.5
<b>Chain</b>	5	–	2 - 4½	1.5
<b>Compound Leverage</b>				
<b>Chain Tong</b> s	6	–	¼ - 18	1.6
<b>Strap</b>	8	–	2 - 5	1.6
<b>Adjustable</b>	8	6 - 24	¾ - 27/16	1.6
<b>Specific Purpose Wrenches</b>				
Basin	3	10 - 17	¾ - 2½	1.7
Faucet & Sink Installer	1	10¼	–	1.7
Internal	1	4½	1 - 2	1.8
One Stop	1	–	–	1.8
<b>Wrench Parts</b>	–	–	–	1.9

# WRENCHES

## Chain Tongs



### Chain Tongs

- Designed and sized to provide extra leverage for the toughest jobs.
- All models feature double-end jaw styles which can be reversed, except Model 3215, which is a single-end tong.

Catalog No.	Model No.	Description	Total Length		Pipe Capacity		Chain Length		Chain Breaking Load		Weight		Std. Pack
			in.	mm	in.	mm	in.	mm	lb.	kg	lb.	kg	
92660	3215	Single-End Chain Tongs	87	2,209	4 - 18	114 - 457	74 1/2	1,892	56,000	25,401	156	71	1
92665	3229	Double-End Chain Tongs	27	686	1/4 - 2 1/2	13 - 73	17 1/2	445	13,800	6,260	11	5	1
92670	3231	Double-End Chain Tongs	37	939	3/4 - 4	26 - 114	22 1/2	572	17,600	7,983	21	10	1
92675	3233	Double-End Chain Tongs	44	1,117	1 - 6	33 - 168	32	813	20,100	9,117	29	13	1
92680	3235	Double-End Chain Tongs	50	1,270	1 1/2 - 8	48 - 219	40 1/2	1,29	22,000	9,979	39	18	1
92685	3237	Double-End Chain Tongs	64	1,625	2 - 12	60 - 323	55 1/2	1,410	31,000	14,061	67	30	1

## Strap Wrenches



### Replacement Straps

Catalog No.	Strap Length		Strap Width	
	in.	mm	in.	mm
31990	17	425	1/2	12
32015	17	425	1 1/8	30
32020	24	600	1 1/8	30
32025	30	760	1 1/8	30
32050	29 1/4	750	1 3/4	45
32055	48	1,200	1 3/4	45
32035	17	425	1 1/16	27
32065	30	760	1 3/4	45

### Strap Wrenches

- Strap Wrenches are best for any polished pipe.
- Strong, woven nylon strap gives tight grip.
- Two models available for plastic pipe.
- Polyurethane-coated strap.

Catalog No.	Model No.	Description	Handle Length		Strap Length		Strap Width		Pipe Capacity		O.D. Tube Capacity		Weight		Std. Pack
			in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	lb.	kg	
31335	1	Strap Wrench	11 3/4	300	17	425	1/2	12	2	50	-	-	1 1/4	0.5	1
31340	2	Strap Wrench	11 3/4	300	17	425	1 1/8	30	2	50	-	-	1 3/4	0.8	1
31345	2	Strap Wrench	11 3/4	300	30	760	1 1/8	30	2	50	-	-	1 3/4	0.8	1
31350	2	Strap Wrench	11 3/4	300	24	600	1 1/8	30	2	50	-	-	1 3/4	0.8	1
31355	2P*	Strap Wrench	11 3/4	300	17	425	1 1/16	27	2	50	-	-	1 3/4	0.8	1
31360	5	Strap Wrench	18	450	29 1/4	750	1 3/4	45	5	125	-	-	2	0.9	1
31365	5	Strap Wrench	18	450	48	1,200	1 3/4	45	5	125	-	-	2	0.9	1
31370	5P*	Strap Wrench	18	450	29 1/4	750	1 3/4	45	5	125	-	-	2 1/8	1.0	1

\*Strap designed for use with plastic pipe.

## Adjustable Wrenches



### Adjustable Wrenches

- High grade chrome-vanadium alloy steel.
- Forged and heat-treated for durability.
- Cobalt-plated finish to reduce rust and corrosion.
- Jaw scales in SAE and metric for quick adjustment.

Catalog No.	Model No.	Description	Nom. Size		Jaw Opening		Weight		Std. Pack
			in.	mm	in.	mm	lb.	kg	
86902	756	6" Adjustable Wrench	6	150	3/4	20	1/4	0.1	2
86907	758	8" Adjustable Wrench	8	200	7/8	25	1/2	0.2	2
86912	760	10" Adjustable Wrench	10	250	1 1/8	30	3/4	0.3	2
86917	762	12" Adjustable	12	300	1 5/16	35	1 1/2	0.6	2
86922	765	15" Adjustable	15	375	1 11/16	40	3	1.3	2
86927	768	18" Adjustable	18	450	2 1/8	50	5 1/8	2.3	2
86932	774	24" Adjustable	24	600	2 7/16	60	9 1/4	4.2	1