

A WORLD OF OPTIONS AT YOUR FINGERTIPS

Electronic faucets from Sloan Valve Company embrace styling that is perfectly suited for every application.

Sloan believes that a purifying experience in a beautiful environment can and should exist in commercial settings. That is what drove us to pioneer electronic faucets—and why in brand study after brand study, Sloan is the leading faucet specified for the commercial and institutional marketplaces. Sloan has re-designed and re-defined the faucet concept, starting with the introduction of our fiber-optic models more than two decades ago.

Today, Sloan faucets use as little as one-half gallon of water per minute—a conservative flow that saves water while aptly supporting proper hand-washing hygiene. Sloan sensor-operated faucets are either hardwired or powered by battery or solar energy. Sloan solar faucets resourcefully derive power from any natural or artificial light source, and in so doing, they reduce reliance on two precious commodities: water and energy.

Eco-minded professionals throughout North America tap our technologies to achieve their water-efficiency goals and LEED® objectives. Once one considers the wide range of faucet models available from Sloan, however, it is apparent that these faucets do much more than just fulfill a functional need: These faucets serve the commercial space with elegance. Thus, Sloan focuses on delivering the beauty of quality.

The sleek, European-styled LINO™, Sloan Lumino™ and Sloan SOLIS® faucets (from top to bottom) run automatically, yet allow guests to adapt the water temperature at their discretion.



HARDWARE FAUCETS

Sloan hardware faucets feature superior durability and compatible styling for all types of faucet applications.

ETF-880

The high-style design of the ETF-880 with its chrome-plated metal throat plate is perfect for upscale public restrooms.

- User-friendly variable time-out settings
- 0.5 gpm/1.9 Lpm vandal-resistant spray head for water efficiency
- Troubleshooting LED indicator lights
- Infrared sensor ensures accurate user detection

ETF-610

This chrome-plated brass pedestal model delivers tempered or hot/cold water.

- Rugged construction for high-traffic commercial installations
- Features a 0.5 gpm/1.9 Lpm flow rate and vandal-resistant spray head
- Plug-in and box-mount transformers available

ETF-600

The ruggedly made ETF-600 faucet is tough enough for high-traffic public restrooms, yet is perfectly suited for specialized settings such as medical offices, too.

- 4-inch centerset design
- Vandal-resistant spray head with pressure-compensating control
- Adjustable time-out settings and sensor range

ETF-770

The gooseneck spout on this On-Q® deck-mounted faucet provides the ultimate in sanitary protection.

- Easily accessible infrared sensor
- 2.2 gpm/8.3 Lpm optional laminar flow outlet for hygienic hand-washing
- Splash-proof circuit control module

ETF-80

The classic, beautifully shaped styling of the ETF-80 makes this faucet a standout, while bringing purely practical advantages for long life and reliable service.

- LED indicator lights simplify troubleshooting
- 0.5 gpm/1.9 Lpm vandal-resistant spray head features pressure-compensating flow control
- Above and below deck mixing valve and transformer options for installation ease
- Laminar flow spray head available for medical applications

ETF-700

This ADA-compliant, deck-mounted faucet with a gooseneck spout is a rugged performer for medical/surgical applications.

- Easily accessible infrared sensor
- 2.2 gpm/8.3 Lpm laminar flow spray head (shown); other options available
- Splash-proof circuit control module

ETF-500

Back-mounted styling enables installation flexibility and hygienic hand-washing, particularly in healthcare settings.

- Distinctive faucet shape allows ample room, even in tight spots
- Optional spouts and shower spray outlets meet various needs

HOW TO SELECT THE IDEAL SLOAN FAUCET

Choose Electronic Faucets by Features

HARDWIRE FAUCETS	BATTERY-POWERED FAUCETS	SOLAR-POWERED FAUCETS	Fiber Optics	Gooseneck Spout	Surgical Bend (8" Reach)	0.5 gpm/1.9 Lpm Spray Head	Adaptive Sensing	Below Deck Mixing	Above Deck Mixing	Integral Spout Mixer	Plug-In Transformer Option	Battery Backup Option	4" Centerset	Pedestal	Wall Mount	i.q.-cliq Function	Drain Pop-Up (DPU)
ETF-80						■		■	■		■		■	■			
	EBF-85		■			■	■	■	■				■	■			
	EBF-187		■			■	■	■	■				■	■			
ETF-500/ETF-500-S				■	■			■			■				■		
	EBF-550/EBF-550S			■	■			■			■	■			■		
ETF-600						■		■			■		■				
	EBF-650					■		■			■	■	■				
ETF-610						■		■	■		■		■	■			
	EBF-615					■		■	■		■	■	■	■			
ETF-660						■		■	■		■		■				
ETF-700/ETF-700S				■	■			■	■		■		■	■			
	EBF-750/EBF-750S			■	■			■	■		■	■	■	■			
ETF-770				■				■	■		■		■				
ETF-800								■			■				■		
ETF-880						■		■	■		■		■	■			
EAF-100							■		■	■	■		■	■		■	■
EAF-200						■	■		■	■	■		■	■		■	■
	EAF-150						■		■	■	■		■	■		■	■
	EAF-250					■	■		■	■	■		■	■		■	■
		EAF-275				■	■		■	■			■	■		■	■
EAF-225						■	■			■	■		■	■		■	■
SF-2100						■		■			■	■	■	■			
	SF-2150					■		■					■	■			
SF-2200				■				■			■	■	■	■			
	SF-2250			■				■					■	■			
SF-2300						■		■			■	■	■				
	SF-2350					■		■					■				
SF-2400						■		■			■	■	■	■			
	SF-2450					■		■					■	■			

Choose Electronic Faucets by Markets

HARDWIRED FAUCETS	BATTERY-POWERED FAUCETS	SOLAR-POWERED FAUCETS	Healthcare		Commercial			Education		Hospitality/Foodservice			
			Patient Rooms	Nurses' Stations/Surgical	Public Restrooms	Executive Suites	Airports/Stadiums	Classrooms	Laboratories	Hotel Rooms	Commercial Kitchens/Hand Washing Stations	Restaurants/Resorts (upscale)	Fitness Centers/Clubs
ETF-80					■	■	■					■	■
	EBF-85				■	■							
	EBF-187				■	■	■					■	
ETF-500/ETF-500-S			■	■					■		■		
	EBF-550/EBF-550S		■	■									
ETF-600					■		■	■			■		■
	EBF-650				■		■	■			■		■
ETF-610					■		■	■			■		■
	EBF-615				■		■	■			■		■
ETF-660					■		■	■	■		■		
ETF-700/ETF-700S			■	■					■		■		
	EBF-750/EBF-750S		■	■					■		■		
ETF-770			■	■					■		■		
ETF-800						■	■			■		■	
ETF-880					■		■			■		■	■
EAF-100			■			■	■		■	■		■	
EAF-200					■	■	■		■	■		■	
	EAF-150		■			■		■	■	■		■	
	EAF-250				■			■	■	■		■	■
		EAF-275			■	■		■	■	■		■	■
EAF-225						■		■		■	■	■	
SF-2100					■	■							
	SF-2150				■	■							
SF-2200			■	■					■				
	SF-2250		■	■					■				
SF-2300					■		■	■			■		
	SF-2350				■		■	■			■		
SF-2400								■	■				
	SF-2450							■	■				

Visit the Sloan Web site at www.sloanvalve.com or call 800-9-VALVE-9 (800-982-5839) for more faucet variations and options. Or ask a Sloan representative for suggestions on which faucets to specify for your requirements.