

## ProPress

Only Viega offers press fitting systems in multiple materials. Viega ProPress for copper has helped reduce overall job costs, save time and increase reliability on the job site since its introduction in 1999. Built to last, Viega fittings are heavier than Type K copper and are available in sizes ranging from ½" to 4". The patented Viega Smart Connect feature, a feature only found in genuine Viega ProPress fittings, identifies unpressed connections during pressure testing so they are not missed.

### FEATURES AND BENEFITS

- The original copper press joining solution
- Available in sizes ½" to 4"
- Customizable with three sealing elements, EPDM, HNBR and FKM
- More than 600 engineered fitting configurations for copper
- Approved for more than 150 different applications

### CODES AND STANDARDS

- ABS: American Bureau of Shipping
- CRN: Canadian Registration Number
- CSA International: Canadian Standards Association
- FM: FM Global
- IAPMO: Uniform Plumbing Code
- ICC: International Plumbing Code
- NFPA 13, 13D and 13R: Fire Sprinkler Applications
- NSF/ANSI 61: Drinking Water System Components – Health Effects
- NSF/ANSI 372: Drinking Water System Components - Lead Content
- PHCC: National Standard Plumbing Code
- UL: Underwriters Laboratories

### LISTINGS AND CERTIFICATIONS

- CRN 0A14541.5
- CSA MSE-13
- FM Class 1920
- IAPMO PS117
- ICC-ES PMG-1037
- NSF - 61G
- UL 213

### ZERO LEAD

References to Zero Lead throughout this publication means product meeting the requirements of NSF 61-G through testing under NSF/ANSI Standard 372 (0.25% or less percent maximum weighted average lead content).

### NOTE

A Green Dot on a Viega ProPress fitting indicates the Smart Connect feature with an EPDM sealing element.



**Viega ProPress reducer XL**  
**Smart Connect feature, Zero Lead**

- Copper
- Street, press connection

**Note**

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0915.1XL**

FTG	P	Wt [lb]	Quantity	Part No	DG
2½	1	0.754	1	20814	8
2½	1¼	0.743	1	20815	8
2½	1½	0.884	1	20813	8
2½	2	0.701	1	20758	8
3	1¼	1.008	1	20817	8
3	1½	1.157	1	20818	8
3	2	0.886	1	20763	8
3	2½	1.190	1	20768	8
4	2	1.884	1	20773	8
4	2½	2.116	1	20778	8
4	3	2.295	1	20783	8

**Valves**



**New**

**Viega ProPress ball valve**  
**Smart Connect feature, Zero Lead**

- For potable water applications
- Bronze
- Press connection
- Full port

**Components**

Lockable metal handle, stainless steel ball, EPDM sealing elements

**Model 2971.1ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.463	1	79920	8
¾	¾	0.622	1	79925	8
1	1	0.992	1	79930	8
1¼	1¼	1.512	1	79935	8
1½	1½	3.041	1	79940 <sup>1</sup>	8
2	2	5.183	1	79945 <sup>1</sup>	8

<sup>1)</sup> Available soon!



**New**

**Viega ProPress ball valve**  
**Smart Connect feature, Zero Lead**

- For potable water applications
- Bronze
- Press connection
- Full port

**Components**

Lockable metal handle, stainless steel ball and stem, EPDM sealing elements

**Model 2971.3ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.458	1	79923	8
¾	¾	0.617	1	79928	8
1	1	1.014	1	79933	8
1¼	1¼	1.508	1	79938	8
1½	1½	3.036	1	79943 <sup>1</sup>	8
2	2	5.152	1	79948 <sup>1</sup>	8

<sup>1)</sup> Available soon!



**New**

**Viega ProPress ball valve**  
**Smart Connect feature, Zero Lead**

- For potable water applications
- Bronze
- Press connection, female pipe thread
- Full port

**Components**

Lockable metal handle, stainless steel ball, EPDM sealing element

**Model 2971.4ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.463	1	79970	8
¾	¾	0.630	1	79975	8
1	1	1.031	1	79980	8



**New**

**Viega ProPress ball valve**  
**Smart Connect feature, Zero Lead**

- For potable water applications
- Bronze
- Press connection, hose connection
- Full port

**Components**

Lockable metal handle, stainless steel ball, EPDM sealing element

**Model 2971.5ZL**

P	Hose	Wt [lb]	Quantity	Part No	DG
½	¾	0.518	1	79990	8
¾	¾	0.670	1	79995	8