

MODULINK™ 880MP SERIES FLOOR BOXES




Modulink™ Nonmetallic Floor Boxes provide power and communication services directly to the workstation or to any open space location.

CODE REFERENCE

cULus Listed
Nonmetallic Outlet Boxes:
File E110748 Guide QCMZ.


Modulink 880MP Series Floor Boxes Ordering Information

880MP Nonmetallic Rectangular Floor Box



Box comes complete with reusable mudcap, insert spacer, conduit plugs and reducers. Reducers provided for reduction to 1 1/2", 1 1/4", 1", 3/4" and 1/2" [25mm, 19.1mm and 12.7mm] conduit. Minimum concrete depth is 4" [102mm] and maximum concrete depth is 6" [152mm]. Minimum capacity is 50 cu. in. [819ml] and maximum capacity is 100 cu. in. [1693ml]. Box dimensions are 4 1/8" W x 5 1/2" L x 6" H [105mm W x 140mm L x 152mm H].


880MPA Nonmetallic Rectangular Floor Box Adjusting Ring



NOTE: One 880MPA is needed for each 880MP and 880MP2 box used. For example, a three-gang box will require three 880MPA Adjusting Rings, ordered separately.

Comes with fiber storage loop. Also includes brass inserts for flange connection and green ground wire for ground connection. Wiremold CM Series Open System adapters that snap directly into the adjusting ring without the need for an adapter. Also includes mounting screws to attach flange to box body.


880MP2 Nonmetallic Rectangular Floor Box



Box comes complete with reusable mudcap, insert spacer, conduit plugs and reducers. Reducers provided for reduction to 1 1/2", 1 1/4", 1", 3/4" and 1/2" [38mm, 32mm, 25mm, 19.1mm and 12.7mm] conduit. Minimum concrete depth is 4" [102mm] and maximum concrete depth is 6" [152mm]. Minimum capacity is 50 cu. in. [819ml] and maximum capacity is 100 cu. in. [1639ml]. Box dimensions are 4 1/8" W x 8 1/4" L x 6 3/16" [105mm x 210mm x 157mm].

NOTE: Insert spacer should not be removed until after concrete pour.
Box can be connected together to create a two- or three-gang option.

COLOR OPTIONS




817, 828, 829, 830, 837 and 838 Series Cover Plates are designed for use with Modulink™ 880MP Series Floor Boxes and are available in black, aluminum, gray, nickel, brass and bronze.

Custom color options are also available. Consult the factory for more information.

MODULINK™ 880MP SERIES FLOOR BOXES

Modulink 880MP Series Floor Boxes Nonmetallic Cover Plates Flanges Ordering Information


One-Gang Nonmetallic Carpet Flange



PART NUMBERS:
817PCC-BLK (Black)
817PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.


Three-Gang Nonmetallic Carpet Flange



PART NUMBERS:
837PCC-BLK (Black)
837PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.

Two-Gang Nonmetallic Carpet Flange




PART NUMBERS:
827PCC-BLK (Black)
827PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.

NOTE: Brass covers and flanges are not interchangeable with aluminum or nonmetallic covers and flanges. Nonmetallic covers are interchangeable with aluminum flanges.

Modulink 880MP Series Floor Boxes Nonmetallic Cover Plates Ordering Information


Nonmetallic Duplex Cover Plate



PART NUMBERS:
828PR-BLK (Black)
828PR-BRN (Brown)

Flip lids. Can also be used with a 106 type communication adapter.


Nonmetallic Communications Cover Plate



PART NUMBERS:
829PFLRT-BLK* (Black)
829PFLRT-BRN* (Brown)

Individual flip lids. Gasket included. Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters included.


Nonmetallic GFI Cover Plate



PART NUMBERS:
828PRGFI-BLK (Black)
828PRGFI-BRN (Brown)

May be used with Ortronics® Connectivity systems in conjunction with 817, 827 and 837PCC Series flanges.


Nonmetallic Communications Cover Plate



PART NUMBERS:
829PCK-BLK (Black)
829PCK-BRN (Brown)

Breakouts. Feed through only, not for use with a mounting plate for communication jacks.


Nonmetallic Communication Cover Plate



PART NUMBERS:
829PFL-BLK* (Black)
829PFL-BRN* (Brown)

Individual flip lids. Gasket included. Wiremold CM Series inserts included.

Nonmetallic Communications Cover Plate



PART NUMBERS:
829PSTC-BLK (Black)
829PSTC-BRN (Brown)


Data slides. Feed through only, not for use with a mounting plate for communication jacks.

* Replacement flip lids can be ordered under Cat. No. PFL-BLK and PFL-BRN. Each Cat. No. comes with three flip lids. The above cover plates are listed for tile and carpet applications.

OMNIBOX™ SERIES FLOOR BOXES

Omnibox Series Powder-Coated Aluminum Cover Plates Ordering Information


Powder-Coated Aluminum Duplex Cover Plate



PART NUMBERS:
828R-TCAL-BK (Black)
828R-TCAL-GY (Gray)
828R-TCAL-NK (Nickel)
828R-TCAL-BS (Brass)
828R-TCAL-BZ (Bronze),

Flip lids. Can also be used with a 106 type communication adapter.

Powder-Coated Aluminum Cover Plate




PART NUMBERS:
829CKAL-3/4BK (Black)
829CKAL-3/4GY (Gray)
829CKAL-3/4NK (Nickel)
829CKAL-3/4BS (Brass)
829CKAL-3/4BZ (Bronze)

Power or communication plate with 2" [51mm] and 3/4" [19.1mm] plugs.

NOTE: Acceptable for use with threaded conduit when passing through power cables.


Powder-Coated Aluminum Rectangular Cover Plate



PART NUMBERS:
828GFITCAL-BK (Black)
828GFITCAL-GY (Gray)
828GFITCAL-NK (Nickel)
828GFITCAL-BS (Brass)
828GFITCAL-BZ (Bronze)


Allows for mounting of a duplex receptacle (Duplex or GFCI style) with a rectangular flip cover.

828MAAP AV Adapter Plate



Sheet metal adapter plate that accepts two (2) Wiremold AVIP or Extron® Electronics MAAP style device plates, sold separately. For use with 828GFITC or 828GFITCAL cover plates, sold separately.

Powder-Coated Aluminum Cover Plate




PART NUMBERS:
829CKAL-1BK (Black)
829CKAL-1GY (Gray)
829CKAL-1NK (Nickel),
829CKAL-1BS (Brass),
829CKAL-1BZ (Bronze)

Power or communication plate with 2" [51mm] and 1" [25mm] plugs.

NOTE: Acceptable for use with threaded conduit when passing through power cables.

Omnibox Series Nonmetallic Cover Plate Flanges Ordering Information


One-Gang Nonmetallic Carpet Flange



PART NUMBERS:
817PCC-BLK (Black)
817PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.

Two-Gang Nonmetallic Carpet Flange



PART NUMBERS:
827PCC-BLK (Black)
827PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.


NOTE: UL Listed for tile, terrazzo and carpet floors.

Brass covers and flanges are not interchangeable with aluminum or nonmetallic covers and flanges. Nonmetallic covers are interchangeable with aluminum flanges.

880W SERIES™ FLOOR BOXES

880W Series Floor Boxes Nonmetallic Cover Plate Flanges Ordering Information


One-Gang Nonmetallic Carpet Flange



PART NUMBERS:
817PCC-BLK (Black)
817PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.


Three-Gang Nonmetallic Carpet Flange



PART NUMBERS:
837PCC-BLK (Black)
837PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.

Two-Gang Nonmetallic Carpet Flange




PART NUMBERS:
827PCC-BLK (Black)
827PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Activate™ connectivity use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.

880W Series Floor Boxes Nonmetallic Cover Plates Ordering Information


Nonmetallic Duplex Cover Plate



PART NUMBERS:
828PR-BLK (Black)
828PR-BRN (Brown)

Flip lids. Can also be used with a 106 type communication adapter.


Nonmetallic Communications Cover Plate



PART NUMBERS:
829PFLRT-BLK (Black)
829PFLRT-BRN (Brown)

Individual flip lids. Gasket included. Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters included.


Nonmetallic GFI Cover Plate



PART NUMBERS:
828PRGFI-BLK (Black)
828PRGFI-BRN (Brown)

May be used with Ortronics® Connectivity systems in conjunction with 817, 827 and 837PCC Series flanges.


Nonmetallic Communications Cover Plate



PART NUMBERS:
829PCK-BLK (Black)
829PCK-BRN (Brown)

Breakouts. Feed through only, not for use with a mounting plate for communication jacks.


Nonmetallic Communication Cover Plate



PART NUMBERS:
829PFL-BLK (Black)
829PFL-BRN (Brown)

Individual flip lids. Gasket included. Wiremold CM Series inserts included.

Nonmetallic Communications Cover Plate



PART NUMBERS:
829PSTC-BLK (Black)
829PSTC-BRN (Brown)

Data slides. Feed through only, not for use with a mounting plate for communication jacks.


NOTE: UL Listed for tile, terrazzo and carpet floors.

Brass covers and flanges are not interchangeable with aluminum or nonmetallic covers and flanges. Nonmetallic covers are interchangeable with aluminum flanges.

WALKERDUCT® PRO SERIES SERVICE FITTINGS

Walkerduct Pro Series Nonmetallic Cover Plate Flanges Ordering Information


One-Gang Nonmetallic Carpet Flange



PART NUMBERS:
817PCC-BLK (Black)
817PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Wiremold CM Series inserts use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.


Nonmetallic GFI cover plate



PART NUMBERS:
828PRGFI-BLK (Black)
828PRGFI-BRN (Brown)

May be used with Ortronics® Connectivity systems in conjunction with 817, 827 and 837PCC Series flanges.


Two-Gang Nonmetallic Carpet Flange



PART NUMBERS:
827PCC-BLK (Black)
827PCC-BRN (Brown)

Available in black or brown. For Ortronics® connectivity use with 829PFLRT Cover. For Wiremold CM Series inserts use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.


Nonmetallic Communications Cover Plate



PART NUMBERS:
829PFL-BLK (Black)
829PFL-BRN (Brown)

Individual flip lids.* Gasket included.


Nonmetallic Communications Cover Plate



PART NUMBERS:
829PFLRT-BLK (Black)
829PFLRT-BRN (Brown)

Individual flip lids.* Gasket included. Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters included.


Three-Gang Nonmetallic Flange



PART NUMBERS:
837PCC-BLK (Black)
837PCC-BRN (Brown)

For Ortronics® connectivity use with 829PFLRT Cover. For Wiremold CM Series inserts use with 829PFL Cover. Accepts Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters and Wiremold CM Series inserts, sold separately.

Nonmetallic Communications Cover Plate




PART NUMBERS:
829PCK-BLK (Black)
829PCK-BRN (Brown)

Individual flip lids.* Gasket included. Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters included.

NOTE: UL Listed for tile, terrazzo, and carpet floors. Brass covers and flanges are not interchangeable with aluminum or nonmetallic covers and flanges. Nonmetallic covers are interchangeable with aluminum flanges.


Nonmetallic Duplex Cover Plate



PART NUMBERS:
828PR-BLK (Black)
828PR-BRN (Brown)

Flip lids. Can also be used with a 106 type frame for communications.

Nonmetallic Communications Cover Plate



PART NUMBERS:
829PSTC-BLK (Black)
829PSTC-BRN (Brown)

Individual flip lids.* Gasket included. Ortronics® MAB6TJ TracJack and MAB3S2 Series II adapters included.

NOTE: Brass covers and flanges are not interchangeable with aluminum or nonmetallic covers and flanges. Nonmetallic covers are interchangeable with aluminum flanges.

*Replacement flip lids can be ordered under Cat. No. PFL-BLK and PFL-BRN. Each Cat. No. comes with three flip lids. The above cover plates are listed for tile, terrazzo, and carpet floors.